



CITY OF COLORADO SPRINGS
FIRE BOARD OF APPEALS MEETING **AMENDED AGENDA**
PIKES PEAK REGIONAL BUILDING DEPARTMENT
2880 INTERNATIONAL CIRCLE
AUGUST 9, 2019 – 8:30 A.M. to 10:00 A.M.

CALL TO ORDER

ADMINISTRATIVE

1. Review July 12, 2019's Fire Board of Appeals Meeting Minutes
2. Contractor Licensing
 - A. Fire Alarm Contractor A
 - i. Business Name: Reliance Electric DBA Paracom Systems
 - Principal Officers: Nephi Allred, President
Frederick S. Barlow, Vice President
 - Licensee: Ephraim J. Bistline
 - RME: Ephraim J. Bistline
 - B. Fire Suppression Contractor C
 - i. Business Name: Rocky Mountain Fire Extinguisher, LLC
 - Owner: Amanda Hensler
 - Licensee: Amanda S. Hensler
 - RME: Amanda Hensler
3. Request by Dave and Robyn Pollock, residents of 2545 Brogans Bluff Drive, for relief of the Amended 2015 International Fire Code Appendix K Wildland Urban Interface Mitigation Requirements for the Hillside Overlay Zone
Location: 2545 Brogans Bluff Drive, Colorado Springs, Colorado

DISCUSSION

1. Recruit the Small Business Representative

ADJOURN

Respectfully,


Brett T. Lacey, Fire Marshal
Secretary to Fire Board of Appeals

BLANK PAGE

Snow, Katha M.

From: Colorado Springs <webmaster@springsgov.com>
Sent: Friday, July 26, 2019 2:59 PM
To: Snow, Katha M.
Subject: Form submission from: CSFD Board of Appeals Application

Submitted on Friday, July 26, 2019 - 2:58pm

Submitted by user: Anonymous

Date of Request

Date:

Name: **Dave and Robyn Pollock Residence**

Address: **2545 Brogans Bluff DR, Colorado Springs, CO, 80919**

Date of Request

Name: **Dave and Robyn pollock**

Title: **Owners**

Organization:

Mailing Address: **2545 Brogans Bluff Dr, Colorado Springs , CO, 80919**

Phone Number: **6026258983**

Email: **robyn@allegianceconstruction.com**

Which code requirement do you disagree with?: **Inspection Report number 201804022**

I am unsure of the code number but the issue is that on our new home that we moved into in April our patio deck we understood had to be an ignition resistant product and from what we where told by more than one person from Thermory (the company whos product we used) was that their product was better fire rated than even a trex product. That it has a Class B flame spread and meets the Wildland Urban Interface Codes. They did send us the documentation and I did forward it to Doreen Withee as well gave it to the inspector that came to the house. Thermory does also state that if we put a fire repellant sealer on the wood, it would become a class A rating.

Why do you believe the code should not be followed?: **We thought that we where in compliance as we have been building for years and never having any marks against us either here or in Arizona. Finally being able to build our dream home in this beautiful area we would not have done anything knowingly wrong. We will have the fire retardant sealant completed by the end of this upcoming week. I have been given a recommendation by fire department staff to use a product called Lumbergard it is a lifetime application.**

Date of Request

Discussed with Fire Marshal Rep?: **Yes**

If so, with whom?: **Doreen Withee**

Alternative solutions: **Yes**

What is your proposed solution through alternate means or methods: **As I mentioned above we will have the deck and entry overhang thoroughly coated with a fire retardant within the week. In hope that will bring us into compliance and allow us to get our C of O.**

The only other thing that we discussed was being able to do the same solution but getting a variance instead of the hearing purely because we are unable to close our loan without the CofO and thought a variance would be a faster option

If yes, why were they unacceptable?: **Not sure why the variance was unacceptable if we are going to put the coating on either way. We are just wanting to come in compliance and get CofO as quickly as possible. We have lived in this home since April and plan to be hear for many many years to come. We thought when we got the final though the building department we had completed everything. We do apologize for this error.**

The results of this submission may be viewed at:

<https://coloradosprings.gov/node/58411/submission/197866>

Fire Board of Appeals Staff Summary Report

Agenda Item: 2545 Brogans Bluff

Report Completed By: FPE Withee

Project History: New construction

5/30/18: Plans were approved for construction of single family home located in the Hillside Overlay Zone. Plans and supporting documentation indicated use of composite decking.

7/24/19: Received a phone call from owner regarding the disapproval inspection items which included the decking material being of a wood product and not composite as per the approved plans. One other item was noted on the inspection regarding the tongue and groove (T&G) soffits/ceilings, however the homeowner attested to me there is a cementitious backer behind the T&G soffits/ceilings.

Homeowner explained they have been living in the home since April and discovered they did not have a certificate of occupancy when they tried to close the loan.

Applicable Code(s): Amended 2009 International Fire Code, Appendix K

Additional Considerations

Year Built/Remodeled: 2018 new build

Occupancy Type: Single family residence

Occupant Load: N/A

Square Footage: 5,579 square feet

Construction Type: V-B wood frame

Sprinkled: No – not required

Alarmed: No – not required

Contractor Licensing Details: N/A, homeowner build

Further Considerations: While Colorado Springs Fire Department staff did not specifically recommend a particular product, there are a few one-time application fire retardant products, such as and similar to the LumbarGuard product mentioned in the appeal application.

Lot has approximately 24 foot elevation gain from front to back. Home is oriented generally north to south, having exposure aspects on the south side. Area is a re-developed neighborhood.

Fire Board of Appeals Staff Summary Report

CSFD Recommendations for Resolution


Recommendation: Approval of request with the following conditions:

1. A quality control plan to ensure proper application per manufacturer's specifications to be submitted to CSFD for review;
2. Application of a fire retardant treatment such as LumberGuard, or similar product, to all wood decking.

Attachments:

- ☒ Photos
- ☒ Floor Plan
- ☒ Code References
- ☒ Data Sheets
- ☒ Inspection/Plan Review Reports
- ☐ Correspondence
- ☐ Contractor Licensing Details
- ☐ Timeline


Completed by
Signature:



Date:

7/29/19

Approved by
Signature:



Date:

7/30/19


CSFD Administrative Decision

This item will proceed to the fire board for consideration of the requested appeal.

Brett T. Lacey, Fire Marshal


Date:


7/30/19











Colorado Springs Utilities Public Map Viewer



1:2,257

Map Created 7/29/2019



Colorado Springs Utilities
It's how we're all connected

Copyright © 2019 City of Colorado Springs on behalf of the Colorado Springs Utilities. All rights reserved.



City of Colorado Springs




1: 1,128

Copyright © 2018 City of Colorado Springs in behalf of the Colorado Springs Utilities. All rights reserved. This work, along with the data contained herein, may not be modified, republished, used to prepare derivative works or commercially exploited in any manner without the prior express written consent of the City of Colorado Springs. This work was prepared using the best data available at the time of creation. Neither the City of Colorado Springs, the Colorado Springs Utilities, nor any of their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for accuracy, completeness, or usefulness of any data contained herein. The City of Colorado Springs, Colorado Springs Utilities, and their employees expressly disclaim any responsibility for the data contained herein.

188.1 0 94.04 188.1 Feet

NAD_1983_StatePlane_Colorado_Central_FIPS_0502_Feet

© Latitude Geographics Group Ltd.



SPECIFICATIONS

1. Construction shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

2. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

3. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

4. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

5. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

6. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

7. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

8. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

9. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

10. The design shall be in accordance with the 2015 International Building Code (IBC) and the 2015 International Residential Code (IRC) as amended by the State of Colorado.

AREA TABLE

LOWER LEVEL (1st FLOOR)	1,865 sq ft
UPPER LEVEL (2nd FLOOR)	1,865 sq ft
TOTAL AREA	3,730 sq ft
COVERED DECK	900 sq ft
SCREENED DECK	900 sq ft
TOTAL DECK	1,800 sq ft

CODE INFORMATION

IBC 2015 International Building Code (IBC) (2015)


IRC 2015 International Residential Code (IRC) (2015)

AS 2015 International Building Code (IBC) (2015)

AS 2015 International Residential Code (IRC) (2015)

AS 2015 International Building Code (IBC) (2015)

AS 2015 International Residential Code (IRC) (2015)



Upper Level Floor Plan
Scale: 1/4" = 1'-0"

ORDINANCE NO. 12- 111

AN ORDINANCE AMENDING SECTION 105 (AMENDMENTS TO THE INTERNATIONAL FIRE CODE) OF PART 1 (FIRE PREVENTION CODE) OF ARTICLE 4 (FIRE PREVENTION) OF CHAPTER 8 (PUBLIC SAFETY) OF THE CODE OF THE CITY OF COLORADO SPRINGS 2001, AS AMENDED, PERTAINING TO AMENDMENT TO THE INTERNATIONAL FIRE CODE

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF COLORADO SPRINGS:

Section 1. That Section 105 (Amendments to the International Fire Code) of Part 1 (Fire Prevention Code) of Article 4 (Fire Prevention) of Chapter 8 (Public Safety) of the Code of the City of Colorado Springs 2001, as amended, is repealed and reordained to read as follows:

Appendix K Add a new Appendix K to read as follows:

**APPENDIX K
WILDLAND URBAN INTERFACE MITIGATION REQUIREMENTS
FOR THE HILLSIDE OVERLAY ZONE**

SECTION K101

K101.1 Scope. Wildfire Mitigation: Wildfire risk reduction techniques shall include monitored smoke alarm systems, sprinkler systems, fire resistant roofing materials which are class A (excluding solid wood roofing products) for all residential occupancies, a minimum class B on all other occupancies, fire resistive construction materials, and fuels management measures. Within the Hillside Overlay Zone, fuels management measures shall be utilized within the safety zone of applicable new building construction. "Fuels management" is defined as the modification of landscaping and ornamental vegetation within the safety zone. Fuels management requirements, as set forth below, are intended to protect structures from wildfire as well as to reduce fire from spreading to the wildland. The "safety zone" is defined as the area within thirty feet (30') of the

main structure or significant accessory structures, not to extend beyond the property line. As it is the City's desire to provide an environment safe from wildfire while maintaining the aesthetic qualities of the native hillside, the following wildfire risk reduction standards shall be required for all new building construction or reconstruction in the Hillside Overlay Zone, regardless of development plan approval date or initial construction plan approval, unless specifically exempted within this ordinance, and in accord with Section 7.3.504 of the Code of the City of Colorado Springs, as amended. Nothing in this ordinance herein is intended to be retroactive to existing homes not under the provisions of the Hillside Ordinance at the time of original construction.

SECTION K102 FUELS MANAGEMENT REQUIREMENTS

K102.1 Fuels Management. All lots with homes constructed or reconstructed after the adoption of this ordinance, within the Hillside Overlay Zone, regardless of development plan approval date, shall be subject to the following fuels management requirements:

K102.1.1 Safety Zone. Brush patches or clusters such as Gambel oak, Mountain mahogany, Rocky Mountain maple, chokecherry, etc. may be left, or planted, or allowed to grow in the safety zone, but shall be separated by clear areas of ten feet (10') or more of noncombustible materials or grass mowed to not more than four inches (4") in height.

K102.1.2 Clearance to Main Structure. No combustible brush, trees or shrubs such as Gambel oak, conifers, junipers and yews shall be allowed to be left, or planted, or allowed to grow within fifteen feet (15') of the main structure or significant accessory structure such as sheds, decks, and pergolas. The trunks of deciduous trees may be allowed to be planted up to 10 foot (10') from structures when approved by the *Fire Code Official*.

Exception: When approved by the *Fire Code Official*, small brush patches such as Gambel oak, Mountain mahogany, Rocky Mountain maple, chokecherry, etc. not exceeding one hundred square feet (100 sq. ft.) in size or trees, no larger than fifteen linear feet (15') in any direction, may be allowed to encroach into this zone. Vegetation must be maintained in accord with the applicable Colorado Springs Community Wildfire Protection Plan.

K102.1.3 Pruning of Limbs. Large trees shall not be allowed to have limbs overlap smaller trees or brush which creates ladder fuels, and shall be pruned of limbs to a height of up to ten feet (10') above the ground while maintaining a minimum of 70% of the crown. Certain tree clusters may be allowed if sufficient clear area is provided and approved by the *Fire Code Official*.

K102.1.4 Clearance of Tree Branches to Structures or Appurtenances. Character tree branches shall not extend over or under the roof or eaves, and the canopy or drip-line shall not be within fifteen feet (15') of a deck or similar combustible projection, wood burning appliance or chimney unless approved by the *Fire Code Official*. Character trees shall be defined as existing, mature overstory trees that are unique to the site: ie. species specific or large diameter (>12 inches) or wildlife essential (nesting habitat).

SECTION K103 FIRE PROTECTION SYSTEMS

K103.1 Scope. Fire protection system requirements for hillside homes shall only apply to the conditions listed below as specifically addressed within Section 7.3.504(E)(4) of the Code of the City of Colorado Springs. Fire protection system requirements do not apply to any home that is not subject to the requirements of the original Hillside Ordinance regardless of original construction or rebuild date.

K103.2 Fire Protection Systems. Homes upon lots within the Hillside Overlay Zone illustrated on development plans approved on or after April 1, 1993, shall be required to install a monitored fire alarm system or a fire sprinkler system when the lot lies beyond one thousand feet (1,000') along a cul-de-sac or lies beyond roadways with grades in excess of ten percent (10%) if roadways are the primary vehicular points of access to the home. Additionally, development plans which contain streets or lots which meet these criteria shall contain the following statement:

At a minimum, a monitored fire alarm system or alternatively, a fire sprinkler system is required for residences built upon the following lot(s). The Colorado Springs Fire Department shall review all building plans, determine system requirements and issue appropriate permits. A visual piping inspection must be secured through the Fire Department prior to requesting the framing inspection for fire sprinkler installations. Final inspection and approval of either system must be secured through the Fire Department prior to final inspection by the Building Department and/or occupancy of the residence. Current and subsequent homeowners shall maintain and keep in service required monitored fire alarm and/or fire sprinkler systems in accordance with applicable codes and standards.

SECTION K104 ROOF COVERINGS

K104.1 Fire Resistive Roofing Materials. After January 1, 2003, a class A roof covering (excluding solid wood roofing products) shall be installed on all residential occupancies and a minimum class B roof covering shall be installed on all remaining occupancies (not to replace class A where already required by

the Building Code). This shall be required at the time a permitted roofing or reroofing application is done within the limits of the City of Colorado Springs, Colorado, unless specifically approved by the *Fire Code Official*.

SECTION K105 HARDENED STRUCTURE

K105.1 Structure Protection. The following requirements shall be enforced for all homes constructed or reconstructed, after the adoption of this ordinance, within the Hillside Overlay Zone for ignition-resistant construction and fuels management:

1. A Class A roof covering (excluding solid wood materials) shall be installed on all Residential Occupancies and a minimum Class B roof covering shall be installed on remaining occupancies, unless otherwise permitted.

2. Exterior cladding, eaves and soffits shall be constructed of ignition-resistant materials approved by the *Fire Code Official*. Approved materials include, but are not limited to: fiber-cement board, stucco, masonry/brick, manufactured stone, and similar materials. Natural wood/cedar siding, hardboard, vinyl, and similar combustible materials are not allowed.

Exception: Natural wood or plastic products used for fascia, trim board materials and trim accents, such as corbels, false rafter tails, faux trusses, shutters and decorative vents material are allowed when painted or as approved.

3. For any portion of the attached structure with projections or overhangs, the area below the structure shall have all horizontal under-floor areas enclosed with ignition resistive materials such as those allowed in item 2, above.

Exception: Exposed heavy timber or dimensional log construction is allowed.

4. Exterior doors shall be noncombustible or solid core not less than one and three-fourths inches (1¾") thick. Windows within doors and glazed doors shall be tempered safety glass or multi-layered glazed panels.

Exception: Decorative single pane glazing in front entry doors is allowed.

5. Exterior windows shall be a minimum double pane. Tempered panes are preferable but not required by this Code.

6. All attic vents shall be screened with wire mesh or hardware cloth having openings no larger than one-eighth inch (1/8") unless an alternative design or product is allowed by the *Fire Code Official*. Soffit vents are allowed. Gable vents may be allowed but only as approved by the *Fire Code Official*.

7. Gutters and downspouts that are of non-combustible construction shall be installed such that the leading edge of the roof is finished with a metal drip edge so that no wood sheathing is exposed. The drip edge shall extend into the gutter. Vinyl gutters may be allowed, but must have a non-combustible landing area below the roof line, that is a minimum five foot (5') distance from the side of the structure or foundation. NOTE: gutter caps are highly encouraged as a home-owner maintenance item to prevent combustible debris from collecting in the trough.

8. Decks and other habitable spaces shall be of ignition resistant or non-combustible decking materials, such as composite or metal decking. Wood is not permitted to be used for the decking surface, but can be used for all large structural components and railings.

9. The base of exterior walls, posts or columns shall be protected on the bottom side with provisions such as fire resistant foam or wire mesh having openings no larger than one-eighth inch (1/8") to protect from ember intrusion and still permit weeping and moisture control.

10. Chimneys serving fireplaces, as well as other heating appliances in which solid or liquid fuels are used, shall have an approved spark arrestor or cap.

K105.2 Alternative Materials. Alternative materials or construction methods not specifically addressed in section K105.1 may be considered on a case-by-case basis if found to have comparable ignition-resistant properties and as approved by the *Fire Code Official*.

SECTION K106 REVIEW REQUIREMENTS

K106.1 Construction Permit Review Requirements: All requirements must be reviewed and approved by the *Fire Code Official* prior to permit issuance and prior to final inspection. A final fire department inspection to verify compliance will be required prior to issuance of the Certificate of Occupancy.

Section 2. This ordinance shall be in full force and effect from and after its final adoption and publication as provided by charter.

Section 3. In accord with City Charter § 3-90, this emergency ordinance shall be in full force and effect upon adoption.

Section 4. Council deems it appropriate that this ordinance be published by title and summary prepared by the City Clerk and that this ordinance shall be available for inspection and acquisition in the office of the City Clerk.

Introduced, read, passed on second reading and ordered published this 11th day of December, 2012.

Finally passed: January 8, 2013



Scott Hente, Council President

Mayor's Action:

☒ Approved: 

☐ Disapproved: _____, based on the following objections:



Steve Bach, Mayor

Council Action:

☒ Finally adopted on a vote of 6 to 2, on January 15, 2013

☐ Amended and resubmitted _____.



Scott Hente, Council President

ATTEST:



Sarah B. Johnson, City Clerk

I HEREBY CERTIFY, that the foregoing ordinance entitled "AN ORDINANCE AMENDING SECTION 105 (AMENDMENTS TO THE INTERNATIONAL FIRE CODE) OF PART 1 (FIRE PREVENTION CODE) OF ARTICLE 4 (FIRE PREVENTION) OF CHAPTER 8 (PUBLIC SAFETY) OF THE CODE OF THE CITY OF COLORADO SPRINGS 2001, AS AMENDED, PERTAINING TO AMENDMENT TO THE INTERNATIONAL FIRE CODE" was introduced and read at a regular meeting of the City Council of the City of Colorado Springs, held on December 11, 2012; that said ordinance was finally passed at a regular meeting of the City Council of said City, held on the 8th day of January, 2013, and that the same was published by title and summary, in accordance with Section 3-80 of Article III of the Charter, in the Transcript, a newspaper published and in general circulation in said City, at least ten days before its passage.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the seal of the City, this 15th day of January, 2013.



City Clerk

2018. 0195
Brogan's Bluff



FIRE RATING

Test Results | THERMORY®Ash | Fire Rating

TESTED

- ▶ The rate of fire spread and smoke production in THERMORY®Ash.

RESULTS

- ▶ Class B was achieved, in comparison to kiln-dried Red Oak which results show to be a Class C.



THERMORY
Excellence in Wood

decking • flooring • trim • doors • windows
ThermoryUSA.com

chicago

buffalo



Fire Testing Laboratory



Page 1 of 5

TEST REPORT

FOR

THERMORY® USA, LLC

1213 Wilmette Avenue, Suite 208
Wilmette, IL 60091

**Standard Test Method for
Surface Burning Characteristics of Building Materials
ASTM E84 – 12a**

Test Report No: FH-2403

Assignment No: H-977

Test Date: 05/09/2013

Report Date: 05/09/2013

Subject Material: 0.79" x 5.9" T.M. Ash Decking and 1.02" x 5.7" T.M. Ash Decking

Prepared by:

Michael J. Rizzo
Test Engineer

Reviewed by:

Robert J. Menchetti
Director, Laboratory Facilities and Testing Services

The results reported in this document apply to specific samples submitted for measurement. No responsibility is assumed for performance of any other specimen. The laboratory's test report in no way constitutes or implies product certification, approval or endorsement by this laboratory. This report may not be reproduced, except in full, without the written approval of the laboratory.

1650 Military Road • Buffalo, NY 14217-1198
(716) 873-9750 • Fax (716) 873-9753 • www.ngctestingservices.com



INTRODUCTION:

This report presents the results of specimens tested in accordance with the requirements of ASTM E84-12a Standard Test Method for Surface Burning Characteristics of Building Materials. This test method is also published under the designations ANSI/UL 723, NFPA 255, and UBC 8-1(42-1).

The purpose of this test method is to determine the relative behavior of the material by observing the flame spread along the specimen. Flame spread and smoke developed index are reported. However, there is not necessarily a relationship between these two measurements.

This standard is used to measure and describe the response of materials, products, or assemblies to heat and flame under controlled laboratory conditions. It should not alone be used for fire hazard or fire risk assessment of the materials, products, or assemblies under actual fire conditions.

MATERIAL TESTED:

Material submitted by Thermory® USA, of Wilmette, IL was identified by the client as:

- "0.79" x 5.9" T.M. Ash Decking"
- "1.02" x 5.7" T.M. Ash Decking"

The material was received, in good condition, by NGC Testing Services on April 30, 2013. The material was submitted as nominally 95 in. long boards; twelve (12) boards were submitted for each sample material.

From the boards submitted, NGCTS personnel constructed (3) test specimen decks for each sample material, per ASTM Practice E2579. The specimen decks were constructed on May 8, 2013.

MOUNTING METHOD:

The specimen decks were placed end-to-end, directly on the tunnel ledges, and butted tightly together, to achieve the required 24 ft. length. No additional support was required.

Non-combustible, fiber-reinforced cement board (1/4 in. thick) was placed over the specimen decks as lid protection.



TEST RESULTS:

The test results, computed on the basis of observed flame front advance and electronic smoke density measurements are presented in the table below.

The reported flame spread and smoke developed indices, as presented below, are the computed comparison to the standard calibration materials – mineral fiber-reinforced cement board and select grade red oak flooring. The cement board is used to establish relative 0 values for flame spread and smoke developed; red oak decks are used to establish relative 100 values for flame spread and smoke developed.

TEST NO	MATERIAL TESTED	SIDE EXPOSED	SUPPORT	CALCULATED FLAME SPREAD	CALCULATED SMOKE DEVELOPED
1	0.75" x 5.9" T.M. Ash Decking	Symmetrical	Self Supporting	36.82	24.91
2	1.02" x 5.7" T.M. Ash Decking	Symmetrical	Self Supporting	36.83	85.52
MATERIAL TESTED		SIDE EXPOSED	SUPPORT	FLAME SPREAD INDEX	SMOKE DEVELOPED INDEX
RED OAK FLOORING		Finished	Self Supporting	100	100
REINFORCED CEMENT BOARD		Symmetrical	Self Supporting	0	0
1	0.75" x 5.9" T.M. Ash Decking	Symmetrical	Self Supporting	35	250
2	1.02" x 5.7" T.M. Ash Decking	Symmetrical	Self Supporting	35	85
CLASSIFICATION				FSI	SDI
CLASS "A"				0 - 25	0 - 450
CLASS "B"				26 - 75	0 - 450
CLASS "C"				76 - 200	0 - 450

* Flame Spread & Smoke Developed Index is the result for the average of the results of multiple tests rounded to the nearest multiple of 5. Smoke developed results in excess of 200 are rounded to the nearest multiple of 50.

0.75" x 5.9" T.M. Ash Decking		1.02" x 5.7" T.M. Ash Decking	
FLAME SPREAD INDEX	35	FLAME SPREAD INDEX	35
SMOKE DEVELOPED INDEX	250	SMOKE DEVELOPED INDEX	85

OBSERVATIONS:

0.75" x 5.9" T.M. Ash Decking: The test specimen exhibited steady ignition at 00:32 (min:sec). The flame front reached a maximum distance of 9.08 feet, achieved at 09:54 (min:sec). After the ignition flame was extinguished, the test specimen continued to flame and was manually extinguished. Once the test specimen was cooled and removed from the furnace, it was observed to have a char length of 9 feet and was discolored to 24 feet.

1.02" x 5.7" T.M. Ash Decking: The test specimen exhibited steady ignition at 00:51 (min:sec). The flame front reached a maximum distance of 11.98 feet, achieved at 09:46 (min:sec). After the ignition flame was extinguished, the test specimen briefly continued to flame before self-extinguishing. Once the test specimen was cooled and removed from the furnace, it was observed to have a char length of 10 feet and was discolored to 24 feet.



Fire Testing Laboratory

ADC DRAPT IN H2O 0.080
 GAS PHES. IN H2O 0.276
 GAS VOL CP 49.25
 BTU/CF 1022
 BRUTTER IN 3.96
 TEMP. 1.00 BEHIND 105 Y

Flame Spread: 36.85
 Area Under Flame Curve (cc-min): 73.45

TEST: FH-2403-1 DATE: 6/9/2013

TEST METHOD: ASTM E84-12a

CLIENT: THERMORY USA

PROJECT: U-577

SAMPLE: 0.79" x 5.9" x 5.9" X-M ASH DOCKING

MATERIAL: (3) 24" x 95" X DOCKS

SUPPORT: SELF SUPPORTING


REMARKS:

Ignition Time: 0.32

Max Flame Front: 9.00 FT. @ 9:54

Smoke Developed: 246.91
 Area Under Smoke Curve (SA-MIN): 125.92


Flame Spread



650 MILITARY ROAD, EPHRAIM, PA 17027

TEL: 717-473-9753

Smoke Developed



FAX: 717-473-9753

EMAIL: INFO@THERMORYUSA.COM





Fire Testing Laboratory

ADC DRAFT (IN. H₂O) 0.080
 GAS PRESS. (IN. H₂O) 0.277
 GAS VOL (CF) 49.40
 BTU/CF 1022
 SHUTTER (IN.) 3.00
 TEMP. 13' BURIED 203 F

Flame Spread: 36.93
 Area under Flame Curve (ft-min): 71.51

TESTS: FH-2403-2 DATE: 5/9/2013

TEST METHOD: ASTM E04-12a

CLIENT: THERMORY USA

PROJECTS: H-977

SAMPLE: 1.02" x 5.7" T.M AND DECKING

MATERIAL: (1) 23" x 95" x DECKS

SUPPORT: Self supporting

REMARKS:

IGNITION TIME: 0:51

Max Flame Front: 11.90 FT. @ 9:46


Smoke Developed: 85.52

Area under smoke Curve (ft-min): 43.67



Thermory USA, LLC.
 May 9, 2013
 Page 5 of 5


Flame Spread



TEL: 716-673-9720

1650 MILITARY ROAD, BUFFALO, 14217

Smoke Developed



EMAIL: INFO@THERMORYTESTINGSERVICES.COM

FAX: 716-673-9753

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM
LISTING SERVICE



LISTING No. 8110-2135 0100 Page 1 of 1

CATEGORY: 8110 -- DECKING FOR WILDLAND URBAN INTERFACE (W U I)

LISTEE: Thermory USA LLC 1213 Wilmette Avenue, Suite 208, Wilmette IL 60091
Contact Mark Challinor (847) 256-8828
Email mark@thermoryusa.com

DESIGN: Thermally-Modified Ash Deck Boards with dimensions of 3/4" x 5-7/8" or 1.02" x 5 7' with a maximum of 3/16" edge-to-edge spacing.
Refer to the manufacturer's installation instructions and product data sheets

RATING: Class B Flame Spread

INSTALLATION: In accordance with listee's printed installation instructions applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction

MARKING: Listee name Model number rating and SFM label

APPROVAL: Listed as wood decking materials for use in the Wildland Urban Interface areas Refer to manufacturer's Installation Manual for details.

NOTE: Test Protocol SFM-12-7A-4A

09 25 13 gt



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2018**

Listing Expires **June 30, 2019**

Authorized By: **DAVID CASTILLO**, Program Coordinator
Fire Engineering Division

30

COLORADO SPRINGS FIRE PREVENTION
PLAN REVIEW REPORT

July 26, 2019

Tax Id: 7315107015

DSN:

Project Description: Private Hillside Residence, 2545 Brogaus Bluff, New Hill Hide Home

SYSTEMS: None Required

CN:Code: 09 IBC - 09 IFC - 11 PPRBC/Class: R3/Const: VB/Stories: 3/Size: 5579/OL:

PH:Required Flow: 2000gpm/# Hydrants 2/On site flow: 2100

DV: Mountain Shadows Filing 12, Lot 5

Additional Comments:

Business Name: PRIVATE RESIDENCE

Address: 02545 BROGAUS BLUFF DR

Plan Id: 20180195-HIS-1

Plan Description: NEW RES HOME/HILLSID

Plan Status: Approved/Corrected

Contractor:

Review Status: APP CORRECTED

Review Date: 5/30/2018

Plan Reviewer: Peterson, Roland Thomas

Status
FYI

Comment
***** (STANDARD COMMENT) This project is: Private Hillside Residence, 2545 Brogaus Bluff, New Hill Hide Home

Date of Plans: 1/17/2018

This plan review is based on the requirements found within the adopted Editions of the International Building Code, International Fire Code and the related Standards.

FYI
(STANDARD COMMENT) 150-FT ACCESS

Fire apparatus access roads shall be provided for every structure constructed or moved into or within the jurisdiction and shall be extended to within 150-feet of all exterior portions of the first story of any building. (2009 IFC 5503.1.1)

FYI
(STANDARD COMMENT) ADDRESSING

Address shall be posted on street addressed side of structure. Minimum 5" numbers with 1/2" stroke. Contrasting color to background. (2009 IFC 505.1)

FYI
(STANDARD COMMENT) INCREASED WILDFIRE RISK.

Residing in or near the hillside overlay or wildland-urban interface areas involves increased fire risks that may not apply in urban or more urbanized types of developed communities.

FYI
(STANDARD COMMENT) HILLSIDE ORDINANCE:

This lot/development is subject to the requirements of section of 20-4-10 5 C(2) (Ordinances 93-48 and 93-49) of the City Code establishing minimum safety criteria for residential construction in the City's Hillside Areas. Ensure all landscaping complies with the wildfire interface specifications as required by the fire department and zoning/planning departments.

FYI
(STANDARD COMMENT) SOC RESPONSE TIMES

Fire service response times to this area do not fall within the CSFD Interim Standard of Response Coverage. The CSFD is unable to provide the following level of service:
- 90% of all emergencies reached within 8 minutes (first due company)
- 90% of structure fires requiring a full effective fire-fighting complement (2 engine companies, 1 ladder/truck company) within 12 minutes.

Attention

(STANDARD COMMENT) FUELS MANAGEMENT

SAFETY ZONE:

Brush patches or clusters may be left in the safety zone, but shall be separated by clear areas of 10-feet or more of noncombustible materials or grass mowed to not more than 4-inches in height.

CLEARANCE TO MAIN STRUCTURE:

No combustible brush, trees or shrubs shall be allowed to be left, planted or allowed to grow within 15-feet of the main structure or significant accessory structure such as sheds, decks and pergolas. The trunks of deciduous trees may be allowed to be planted as close as 10-feet from structures where approved by the Fire Code Official.

Small brush patches not exceeding 100-square feet in size or trees no larger than 15 linear feet in any direction may be allowed to encroach into this zone.

PRUNING OF LIMBS:

Large trees shall not be allowed to have limbs overlap smaller trees or brush, creating ladder fuels, and shall be pruned of limbs to a height up to 10-feet while maintaining a minimum 70% of the tree's crown. Certain tree clusters may be permitted if sufficient clear area is provided and approved by the Fire Code Official.

CLEARANCE OF TREE BRANCHES TO STRUCTURES OR APPURTENANCES:

Character tree branches shall not extend over or under the roof or eaves, and the canopy or drip-line shall not be within 15-feet of a deck or similar combustible projection, wood burning appliance or chimney unless approved by the Fire Code Official.

For additional information concerning this issue - contact our Wildfire Mitigation Administrator at 385-7368 or www.csfid.coloradosprings.gov.

(STANDARD COMMENT) CLASS A ROOFING

FYI

A Class A roof covering (excluding solid wood roofing products) shall be installed on all Residential Occupancies and a minimum Class B roof covering shall be installed on all remaining occupancies (Not to replace Class A where already required by Table 15-A) at the time an application is made for a roofing or re-roofing building permit within the limits of the City of Colorado Springs, Colorado.

Attention (STANDARD COMMENT) IGNITION-RESISTANT CONSTRUCTION REQUIREMENTS

1. Exterior cladding, eaves and soffits shall be constructed of ignition resistant materials, including but not limited to: fiber-cement board, stucco, masonry/brick, manufactured stone and similar materials. Natural wood/cedar siding, hardboard, vinyl and similar combustibles are not permitted. Natural wood or plastic products used for fascia, trim board materials and trim accents are allowed when painted or as approved.
2. For any portion of the attached structure with projections or overhangs, the area below shall have all horizontal under-floor areas enclosed with ignition resistive materials such as allowed in item 1 above.
3. Exterior doors shall be noncombustible or solid core not less than 1 3/4-inches thick. Windows within doors and glazed doors shall be tempered safety glass or multi-layered glazed panels.
4. Exterior windows shall be a minimum double pane. Tempered panes are preferable but not required.
5. All attic vents shall be screen with wire mesh or hardware cloth having openings no larger than 1/8-inch. Soffit vents are permitted, gable vents may be allowed as approved by the Fire Code Official.
6. Gutters and downspouts of non-combustible construction shall be installed such that the leading edge of the roof is finished with a metal drip edge so that no wood sheathing is exposed. Drip edge shall extend into the gutter. Vinyl gutters may be allowed but must have a noncombustible landing area below the roof line, a minimum of 5-feet from the side of the structure/foundation.
7. Decks and other habitable spaces shall be of ignition resistant or non-combustible decking materials, such as metal or composite materials. Wood is permitted for use for large structural components and railings (i.e. vertical members).
8. The base of exterior walls, posts or columns shall be protected on the bottom side with provision such as fire resistant foam or wire mesh having openings no larger than 1/8-inch.
9. Chimneys serving fireplaces, and other solid or liquid fueled heating appliances shall have an approved spark arrestor or cap.

Plans for any structure lying within the Hillside Overlay area must be approved by the Colorado Springs Fire Department Construction Services prior to issuance of a building permit.

Final approval by CSFD on all permits issued by RBD is required prior to issuance of the Certificate of Occupancy.

***** (STANDARD COMMENT) FIRE FLOW REQUIREMENT:

Size of Bldg. --5579--- sq ft
Construction Type --VB---
Fire Sprinklers Y----- N--X---
Fire Walls Y ---- N --X--
Required GPM --2000--- gpm
of hydrant(s) required: ----2-
Max AVG spacing between hydrants: --450--- ft
Max hose lay: ---225-- ft

***** (STANDARD COMMENT) FIRE FLOW HYDRANT REQUIREMENTS MET:

On this site fire flows are --2100-- gpm, and the numbers of hydrant(s) are --3-- based on a THEORETICAL Report.

This site, based upon the provided theoretical modeled fire flows, appear to meet the minimum flow requirements and/or the number of hydrant(s) for this structure.

(STANDARD COMMENT) WATER SUPPLY REQUIRED ON SITE:

Required water supplies for fire protection, either temporary or permanent, shall be made available as soon as combustible material arrives on the site. It is the responsibility of the owner or their designated representative to ensure an approved water supply is provided (2009 IFC 1412)

(STANDARD COMMENT) CONTACTS FOR FLOW TESTING HYDRANTS

PUBLIC CITY OWNED HYDRANTS. Contact SEAN HIGBEE, CSU at 668-4595 or via email at shigbee@csu.org to schedule an ACTUAL flow test. Be sure to provide them with a CSFD plan review number to include with their flow reports. CSFD need not be present when City Utilities flow tests hydrants as we will accept their reports. PLEASE ALLOW 1-2 WEEKS NOTICE

PRIVATE HYDRANTS. Contact your assigned inspector to schedule a flow test of PRIVATE OWNED hydrants. A contractor capable of performing the test will be required as CSFD Inspectors WITNESS only. CSFD will not accept flow test results we have not witnessed.

(STANDARD COMMENT) FIRE FLOW TEST RESULTS REQUIRED - EXISTING HYDRANTS:

Actual hydrant flow test results dated within 5 years shall be provided prior to the arrival of combustible material on the construction site.

***** (STANDARD COMMENT) SCHEDULING INSPECTIONS

--X--2017 Fee Schedule. --2-- inspections/ --2-- hours (Inspection time is not transferrable)

Please call 719-385-5982 Extension 2 to schedule all construction related inspection activities. You will need to schedule an inspection at the time of Framing and a final inspection near completion.

Due to the dynamic nature of inspectors schedules, PLEASE call your inspection requests in with ample time to allow scheduling. When calling, please have your complete CSFD plan review number(s) ready for each inspection request. (i.e. 2013-1234 - HS-1)

The CSFD Approved sets of plans are to be on site for all inspections.

***** (STANDARD COMMENT) DISAPPROVED ITEMS ADDRESSED

The plans have been resubmitted and all the disapproved comments have been addressed and/or corrected as follows:

I. Plans have been approved by Zoning.

FYI

(STANDARD COMMENT) PERMITS

Insure all applicable permits are obtained from the Regional Building Department and the Colorado Springs Fire Department for the work that is being done at this site

FYI

(STANDARD COMMENT) REVIEWS

Colorado Springs Fire Department plan reviews are based upon information provided on the drawings and/or the attached reference material. Issues or features that are not presented within the construction documents are assumed to be complaint with applicable codes/standards. It is the responsibility of the building owner to ensure that minimum code requirements are met as established by the Authority Having Jurisdiction, whether or not the requirements are specifically indicated on the submitted construction documents.

The CSFD has reviewed the submittal in accordance with the adopted fire code requirements, CSFD local amendments, City Code Standards, and applicable NFPA Standards. All plan review comments are subject to final on-site field inspections, and testing by the CSFD. Review and approval by the CSFD shall not relieve the applicant of the responsibility of compliance with the International Fire Code (105.4.4)

FYI

(STANDARD COMMENT) RTP REVIEWER CONTACT:

If you have any specific questions or concerns about these comments, please feel free to contact me at

Roland Peterson
Senior Fire Inspector, CSFD
2880 International Circle, Suite 200-7
Colorado Springs, CO 80910
(T) 719-385-7369 (F) 719-385-7330
rpeterson@springsgov.com

Colorado Springs Fire Prevention
Inspection Report

July 26, 2019

Business Name: PRIVATE RESIDENCE

Address:

Inspection Id: 201804022

Plan Id: 20180195-HS-1

Originally Assigned Inspector: McElligott, William C

Inspection Status: HS-HILLSIDE DISAPPROVED

Assigned Station:

Shift:

Inspector Activities

Inspector	Inspection Date	Elapsed Tim	No of Inspectors	CSFD Unit
McElligott, William C	07/24/2019	1.00	1	
McElligott, William C	05/30/2018		1	

Violations

Comments

Corrected? Correct By Date

Comment: Inspection Hillside final 7-24-19 plans reviewed 2-6-18

Yes 08/07/2019

1-Visual address is required 5"

2- Visual class A roofing Ok

3-Visual exterior cladding eaves and soffits ignition resistant materials ok

4-Visual projections and overhangs must be ignition resistant materials front porch ceiling tongue and groove wood ceiling is required to be ignition resistant materials materials

5-Visual exterior doors noncombustible and windows double pane Ok

6- Visual attic roof vents properly screened Ok

7-Visual gutters and downspouts non combustible Ok

8-Visual decking must be ignition resistant materials plans show composite material

9-Visual base of exterior walls properly sealed Ok

10-Visual fuels management safety zone ok

11-Contractor to provide CSU fire Flow report dated within 5 years

Hillside final disapproved

Backed by
Fiber Cementitious not per
Homeowner.

BLANK PAGE

Sent to Fire 7-9-2019 21397



FIRE APPLICATION CONTRACTOR AND INSTALLER CHECK LIST

COMPANY NAME: ROCKY MOUNTAIN FIRE EXTINGUISHER, LLC

PRINCIPAL: HENSLER, AMANDA

LICENSE HOLDER: HENSLER, AMANDA

RME: HENSLER, AMANDA

RECOMMEND:

☒ APPROVAL ☐ DISAPPROVAL

DATE 7/24/19

LICENSE APPLYING FOR:

FSC-A

FSC-B

FSC-C

FSC-D

FSC-H

FSC-M

FAC-A

FAC-B

FAI

FSI

FSI-L

FST-B

FST-C

FST-D

FHT

PPRBD INFORMATION	NAME	DATE
RECEIVED BY PPRBD	SABRINA	07/09/2019
CRIMINAL BACKGROUND CHECK	SABRINA	07/09/2019
SENT TO FIRE	SABRINA	07/09/2019

DEPARTMENT	NAME	DATE
CSFD	Chip Taylor	7/24/19

COMMENTS:

REINSTATEMENT 21397

PPRBD LICENSING

Phone: 719-327-2887

Fax: 719-327-2626

Email: Licensing@pprbd.org

FIRE

Phone: 719-385-5982

Fax: 719-385-7330

Email: Fireconstructionservices@springsgov.com

Suppression Installer

- ☐ Satisfactory completion of the ASCR2 exam every 3 years.
- ☐ Minimum of 2 years work experience in fire sprinklers/standpipes.

Suppression Installer Limited

- ☐ Satisfactory completion of the ASD2 exam every 3 years.
- ☐ Minimum of two years' work experience in single-family multipurpose fire sprinkler systems.
- ☐ State of Colorado Plumber license

Service Technician - B

- ☐ Satisfactory completion of the FEX and CKH2 OR KHFE2 exam every 3 years.
- ☐ Minimum 2 years' experience OR factory training (include copy of certificate)

Service Technician – C

- ☐ Satisfactory completion of the FEX exam every 3 years.
- ☐ Minimum 2 years' experience OR factory training (include copy of certificate).

Service Technician - D

- ☐ Satisfactory completion of the FEX exam every 3 years.
- ☐ Minimum 2 years' experience OR factory training (include copy of certificate).

Fire Hydrant Technician

- ☐ Satisfactory completion of the CTFH2 exam every 3 years.
- ☐ Minimum 2 years' experience.

Fire Alarm On-Site Installer

- ☐ Current and valid NICET Level II or higher certificate OR satisfactory completion of FA2 exam every 3 years
- ☐ Documentation of minimum 2 years' experience.

Fire Suppression Contractor/Dealer – C

- X •Letter of commitment stating minimum equipment requirements are met for portable fire extinguishers.
- X •D.O.T registration as approved cylinder requalification facility OR contract with an outside cylinder requalification facility (a copy of this contracted facility's certification of liability insurance equal to that of the licensee's shall be provided).
- X •Documentation showing the RME qualifications and at least 2 years applicable work experience
- X •Certificate of Liability and Workers' Compensation insurance.

Reinstatement 21397

PIKES PEAK REGIONAL BUILDING DEPARTMENT

Fire Suppression Contractor License Application

It is requested that the Fire Board of Appeals of the Colorado Springs Fire Department consider this application for the state license in compliance with the Pikes Peak Regional Building Code.

RBD USE ONLY

Date 7-9-2019
Initial SE
Receipt # 1612531
RBD # 21397

FIRE SUPPRESSION CONTRACTOR LICENSE REQUESTED (Check one)

☐ FSC-A ☐ FSC-B ☒ FSC-C ☒ FSC-D ☐ FSC-H ☐ FSC-M

Business Information

Type of Entity (Check one) ☐ Individual ☐ Partnership ☐ Corporation ☒ LLC

Business Name: Rocky Mountain Fire Extinguisher, LLC

(The business name is the name that will appear on the license and is the actual name under which the contracting business will operate.)

Federal Employer Identification Number: 27-1761399

Business Address: 1634 Camino de los Ranchos Dr. W

Street Address

Apartment/Unit #

Pueblo West

CO

81007

City

State

ZIP Code

Business Phone: 719-248-3393

Business Email: rmfext@gmail.com

Business Fax: Business Website: www.rockymountainfireextinguisher.com

Company's Principal Officers, Partners, or Owners

Name: Amanda Hensler

Title: Owner

Name:

Title:

Name:

Title:

1. Number of years the company has operated as a contractor? (If new, write "new") 9

2. What is the company's area of specialties? Install, inspect, maintain, service and sell fire extinguishers

Type of work performed? (Check one or both, if applicable)

☐ Residential ☒ Commercial

3. Has the company ever been named in or responsible for any entered and unsatisfied judgments, liens, and/or claims against them in which the company was the contractor? ☐ Yes ☒ No If yes, Explain

4. Has the company been a defendant in a collection action court case? ☐ Yes ☒ No If yes, Explain

5. Has the company ever declared bankruptcy? ☐ Yes ☒ No If yes, Explain

6. Has the company ever had a license suspended or revoked? ☐ Yes ☒ No If yes, Explain

7. Has the company ever defaulted on a contract? ☐ Yes ☒ No If yes, Explain

39

See below for Licensee page of license application

Project History (List projects in which this company worked as the contractor.)

1. Project Street Address: 6758 County Rd. 130, Westcliffe, CO 81252

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$976.00 Date: 01/15/19 Your position: Owner

Describe Job in detail: Inspected fire extinguishers, performed 6 year maintenance on fire extinguishers, ensured all fire extinguishers were in accordance with NFPA 10

2. Project Street Address: 401 Main St., Walsenburg, CO 81089

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$1850.00 Date: 04/01/19 Your position: Owner

Describe Job in detail: Inspected fire extinguishers, performed 6 year maintenance on fire extinguishers, ensured all fire extinguishers were in accordance with NFPA 10

3. Project Street Address: 3372 Lime Rd., Pueblo, CO 81004

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$307.54 Date: 04/01/19 Your position: Owner

Describe Job in detail: Recharged and performed 6 year maintenance on fire extinguishers; ensured fire extinguishers were in accordance with NFPA 10

4. Project Street Address: 1742 E. Platteville Blvd., Pueblo West, CO 81007

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$627.36 Date: 04/15/19 Your position: Owner

Describe Job in detail: Inspected fire extinguishers, performed 6 year maintenance on fire extinguishers, ensured fire extinguishers were in accordance with NFPA 10

5. Project Street Address: 3056 Co. Rd. 198, Hillside, CO 81236

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$896.00 Date: 04/18/19 Your position: Owner

Describe Job in detail: Inspected fire extinguishers, performed 6 year maintenance on fire extinguishers, sold new fire extinguishers, ensured fire extinguishers were in accordance with NFPA 10

CERTIFICATION (The following declaration is to be signed by the **principal officer of the company**) The undersigned, on behalf of the company, partnership or corporation, does hereby declare and warrant that the "examinee" for a contractor's license named herein has the express authority to bind the company, partnership, or corporation by this application; and further, the company does hereby agree to abide by the ordinances and regulations promulgated by the City of Colorado Springs, El Paso County, and those adopted by the municipal entities within El Paso County in regard to any work which may be performed by our company pursuant to the contractor license for which this application is made.

Print Name and title (owner, principal or manager) Amanda Hensler

Signature: 

Date: 07/08/19

Responsible Managing Employee (RME) Information

Legal Name: Hensler Amanda S
Last First M.I.

Date of Birth: 09/05/79 Social Security Number: [REDACTED]

Address: 1634 Camino de los Ranchos Dr. W
Street Address Apartment/Unit #
Pueblo West CO 81007
City State ZIP Code

Phone: 719-248-3393 Fax: _____ Email: Amanda.S.Hensler@gmail.com

- What is your area of expertise in the industry? Service and sell fire extinguishers
- How long have you worked in the industry? 9 years
- What is your affiliation with the company? (Owner, partner, employee, etc.) Owner
- Have you ever been convicted of a misdemeanor or felony? ☐ Yes ☒ No If yes, Explain _____
- Have you had a license suspended or revoked? ☐ Yes ☒ No If yes, Explain _____

6. I, the undersigned, do hereby submit application for the stated contractor's license as the RME (Responsible Managing Employee) or Licensee for the firm named herein. I do hereby expressly represent, and warrant, that I am acting in capacity of the RME/Licensee of said firm; and I hereby agree to accept the responsibilities for said company's and my own actions in connection with the contractor's license that may be granted. ☒ Yes ☐ No

Certifications

NICET #	NICET Level	Expires
P.E. #	Issued	Expires
D.O.T. #	Issued	Expires

Work History

Company	Position	To	From
Rocky Mountain Fire Extinguishers	Owner	Present	10/2010
Hohl's	Customer Service Associate	02/2015	12/2009
Wells Fargo Bank	Service Manager	10/2010	03/2007

CERTIFICATION (The following declaration is to be signed by the RME) Pikes Peak Regional Building Department requires all persons seeking a license to undergo a Criminal Background Check. I hereby authorize Pikes Peak Regional Building Department to perform a Criminal Background Check utilizing information provided on this application. I agree and understand Pikes Peak Regional Building Department may deny me a license after reviewing my Criminal Background Check. If any information provided on this application is untrue, license granted to me is automatically revoked.

Print name & title (RME): Amanda Hensler

Signature of (RME): [Signature] Date: 07/08/19

PIKES PEAK REGIONAL BUILDING DEPARTMENT
Contractor -- ROCKY MOUNTAIN FIRE EXTINGUISHER, LLC (21397)

Status: INACTIVE

Type of Business: LLC

In Business Since: 16-Mar-2015

1634 W CAMINO DE LOS RANCHOS DR
PUEBLO WEST, CO 81007
Phone: (719) 248-3393

Fax:

Officer #1: HENSLER, AMANDA-OWNER

Officer #2: HOWARD, DEBRA-OWNER

LICENSES


Last Name	First Name	D	T	Cat	Subcat	Phone	Expires	Renewed
HENSLER	AMANDA	B	D	9C	FSC-C	(719) 248-3393	03/31/2017	03/31/2016

OBLIGATIONS

T	Agency	Reference #	Expires
C - Certification	D.O.T.	B927	08/09/2015
L - Liability	ATLANTIC INSURANCE COMPANY	LO93006218	09/12/2018
W - Workers Comp.	LETTER TO EXEMPT	ON FILE	03/31/2017

ASSOCIATES

Associate	Permits
HOWARD, DEBRA-OWNER	0



CERTIFICATE OF TRAINING

AMANDA HENSLEER
ROCKY MOUNTAIN FIRE EXTINGUISHER
PUEBLO WEST, CO 81007

IN RECOGNITION OF COMPLETING THE NFPA 10 TRAINING AND PASSING THE
NFPA 10 TEST FOR HAND PORTABLE FIRE EXTINGUISHERS IN COMPLIANCE
WITH NFPA 10 2018 7.1.2.1

THIS CLASS QUALIFIES FOR 8 HOURS OF CONTINUED EDUCATION.



A DIVISION OF GETZ FINE EQUIPMENT
2320 Lakecrest Dr, Pekin, IL 61554
(309) 673-0761 FAX (309) 495-0625
(888) 747-4389

Kristillian

Signature
January 28, 2019

Issued Date
January 28, 2022

Expiration Date

This training does not imply, represent, warrant, suggest, or signify compliance with any equipment manufacturer's or supplier's requirements, or any federal, state, or local license or permit required.

AMANDA HENSLER

1634 Camino de los Ranchos Dr. W Pueblo West, CO 81007
| 719-248-3393 | Amanda.S.Hensler@gmail.com

SUMMARY

Owner and operator of Rocky Mountain Fire Extinguisher, LLC, seeking to obtain licensing in Colorado Springs, CO with the Pikes Peak Regional Building Department.

Rocky Mountain Fire Extinguisher and employee is bonded & insured and complies with all local, state and federal regulations

RELATABLE SKILLS

Certifications

- 01/2018- Re-Certification of NFPA 10 Training and Passing the NFPA 10 Test for Hand Portable Fire Extinguishers in Compliance with NFPA 10 2018 7.1.2.1; Getz Equipment Innovators

EXPERIENCE

- 10/2010 - Present Owner, Rocky Mountain Fire Extinguisher, LLC, Pueblo West, CO
- Oversee all operational matters for the business
 - Responsible for scheduling all inspections & billing for over 500 businesses and government entities throughout Southern Colorado including Pueblo County, Huerfano County, & Custer County
 - Inspect, service, and install various sizes and types of portable fire extinguishers per NFPA 10 standards
 - Recharge, repair, maintain, and hydrostatically test various sizes and types of portable fire extinguishers per NFPA 10 standards
 - Recommend additional equipment or changes to portable fire extinguishers per NFPA 10 standards as needed

EDUCATION

- 08/1998-12/2002 Bachelor of Science, Colorado State University- Pueblo



Rocky Mountain Fire Extinguisher

Amanda Hensler, Owner

Rocky Mountain Fire Extinguisher
1634 Camino de los Ranchos Dr. W
Pueblo West, CO 81007
719-248-3393

Pikes Peak Regional Building Department

Contractor Licensing
2880 International Circle
Colorado Springs, CO 80910
719-327-2887

To Whom it May Concern,

July 8th, 2019

This letter is to certify that Amanda Hensler, the Responsible Managing Employee, is an exclusive full-time employee of Rocky Mountain Fire Extinguisher, LLC.

Sincerely,

Amanda Hensler,

Owner, Rocky Mountain Fire Extinguisher

Rocky Mountain Fire Extinguisher

Address: 1634 Camino de los Ranchos Dr. W
Pueblo West, CO 81007
Phone: 719-248-3393
E-mail: rmfext@gmail.com



Rocky Mountain Fire Extinguisher

Amanda Hensler, Owner

Rocky Mountain Fire Extinguisher
1634 Camino de los Ranchos Dr. W
Pueblo West, CO 81007
719-248-3393

Pikes Peak Regional Building Department

Contractor Licensing
2880 International Circle
Colorado Springs, CO 80910
719-327-2887

To Whom it May Concern,

July 8th, 2019

This letter is to certify that Rocky Mountain Fire Extinguisher, LLC maintains the minimum equipment required for portable fire extinguishers.

Sincerely,

Amanda Hensler,

Owner, Rocky Mountain Fire Extinguisher

Rocky Mountain Fire Extinguisher

Address: 1634 Camino de los Ranchos Dr. W
Pueblo West, CO 81007
Phone: 719-248-3393
E-mail: rmfext@gmail.com

OFFICE OF THE SECRETARY OF STATE
OF THE STATE OF COLORADO

CERTIFICATE OF FACT OF GOOD STANDING

I, Jena Griswold, as the Secretary of State of the State of Colorado, hereby certify that, according to the records of this office,

Rocky Mountain Fire Extinguisher, LLC

is a

Limited Liability Company

formed or registered on 01/26/2010 under the law of Colorado, has complied with all applicable requirements of this office, and is in good standing with this office. This entity has been assigned entity identification number 20101054545 .

This certificate reflects facts established or disclosed by documents delivered to this office on paper through 07/05/2019 that have been posted, and by documents delivered to this office electronically through 07/08/2019 @ 11:12:04 .

I have affixed hereto the Great Seal of the State of Colorado and duly generated, executed, and issued this official certificate at Denver, Colorado on 07/08/2019 @ 11:12:04 in accordance with applicable law. This certificate is assigned Confirmation Number 11670684 .



Jena Griswold

Secretary of State of the State of Colorado

*****End of Certificate*****

Notice: A certificate issued electronically from the Colorado Secretary of State's Web site is fully and immediately valid and effective. However, as an option, the issuance and validity of a certificate obtained electronically may be established by visiting the Validate a Certificate page of the Secretary of State's Web site, <http://www.sos.state.co.us/biz/CertificateSearchCriteria.do> entering the certificate's confirmation number displayed on the certificate, and following the instructions displayed. Confirming the issuance of a certificate is merely optional and is not necessary to the valid and effective issuance of a certificate. For more information, visit our Web site, <http://www.sos.state.co.us/> click "Businesses, trademarks, trade names" and select "Frequently Asked Questions."



ROCKMOU-28

SHUERTAS

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
09/18/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER License # 0757776 HUB International Insurance Services (COL) 1414 W 4th Street Pueblo, CO 81004	CONTACT NAME: Susan Huertas		
	PHONE (A/C, No, Ext): (719) 546-6831	FAX (A/C, No):	
	E-MAIL ADDRESS: susan.huertas@hubinternational.com		
INSURED Rocky Mountain Fire Extinguisher, LLC 1634 Camino De Los ranchos Dr. West Pueblo West, CO 81007	INSURER(S) AFFORDING COVERAGE		NAIC #
	INSURER A: Atlantic Casualty Insurance Company		42846
	INSURER B:		
	INSURER C:		
	INSURER D:		
	INSURER E:		
	INSURER F:		

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			L312000008	09/12/2018	09/12/2019	EACH OCCURRENCE \$ 1,000,000
							DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000
							MED EXP (Any one person) \$ 10,000
							PERSONAL & ADV INJURY \$ 1,000,000
							GENERAL AGGREGATE \$ 2,000,000
							PRODUCTS - COMP/OP AGG \$ 2,000,000
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$
							BODILY INJURY (Per person) \$
							BODILY INJURY (Per accident) \$
							PROPERTY DAMAGE (Per accident) \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$						EACH OCCURRENCE \$
							AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below						PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/>
							E.L. EACH ACCIDENT \$
							E.L. DISEASE - EA EMPLOYEE \$
							E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
This section intentionally left blank.

CERTIFICATE HOLDER

CANCELLATION

Pikes Peak Regional Building Department
2880 International Circle
Colorado Springs, CO 80910

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



PIKES PEAK REGIONAL BUILDING DEPARTMENT

2880 International Circle
Colorado Springs, Colorado 80910
Website: <http://www.pprbd.org>

Follow us on social media

- facebook.com/PPRegionalBuilding/
- @PPRBD
- @ppregionalbuilding

Invoice

7/9/2019 10:16:11 AM

(SABRINA)

Receipt #: 1612531

Contractor: ROCKY MOUNTAIN FIRE EXTINGUISHER, LLC (21397)

Transaction Summary				
Account	Description		Reference	Amount
1301-40036	CONTRACTOR FEES	APPLICATION	app fee	\$50.00

Total Due: \$50.00

Payment Summary				
Account	Description		Reference	Amount
9801-55700	COLLECTION, VISA/Master-Card		712649	\$50.00

Total Tendered: \$50.00

Comment:

I agree to pay above total amount according to card issuer agreement.

50

Licensee Information

Legal Name: Hensler Amanda S
Last *First* *M.I.*

Date of Birth: 09/05/79 Social Security Number: [REDACTED]

Address: 1634 Camino de los Ranchos Dr. W.
Street Address *Apartment/Unit #*

Pueblo West CO 81007
City *State* *ZIP Code*

Phone: 719-248-3393 Fax: _____ Email: Amanda.S.Hensler@gmail.com

1. What is your area of expertise in the industry? Inspect, service & sell fire extinguishers

2. How long have you worked in the industry? 9 years

3. What is your affiliation with the company? (Owner, partner, employee, etc.) Owner

4. Have you ever been convicted of a misdemeanor or felony? ☐ Yes ☒ No If yes, Explain _____

5. Have you had a license suspended or revoked? ☐ Yes ☒ No If yes, Explain _____

6. The examinee understands that direct supervision and control includes any one or a combination of the following activities: supervising, managing construction activities by making technical and administrative decisions, checking jobs for proper workmanship, or direct supervision on job sites. Will you, as the qualifying individual, perform one or more of these duties? ☒ Yes ☐ No

Certifications

NICET #	NICET Level	Expires
P.E. #	Issued	Expires
D.O.T. #	Issued	Expires

Work History

Company	Position	To	From
Rocky Mountain Fire Extinguisher	Owner	Present	10/2010
Kohls	Customer Service Associate	02/2015	12/2009
Wells Fargo Bank	Service Manager	10/2010	03/2007

CERTIFICATION (The following declaration is to be signed by the Licensee) Pikes Peak Regional Building Department requires all persons seeking a license to undergo a Criminal Background Check. I hereby authorize Pikes Peak Regional Building Department to perform a Criminal Background Check utilizing information provided on this application. I agree and understand Pikes Peak Regional Building Department may deny me a license after reviewing my Criminal Background Check. If any information provided on this application is untrue, license granted to me is automatically revoked.

Print name & title (Licensee): Amanda Hensler, Owner

Signature of (Licensee):  Date: 07/12/19



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)
07/16/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Aon Risk Services Northeast, Inc. c/o Aon Client Services 4 Overlook Point Lincolnshire IL 60069 USA	CONTACT NAME:	
	PHONE (A/C. No. Ext): (866) 283-7122	FAX (A/C. No.): (800) 363-0105
INSURED Cintas Corporation and its Subsidiaries 6800 Cintas Blvd PO Box 625737 Cincinnati OH 45262 USA	E-MAIL ADDRESS:	
	INSURER(S) AFFORDING COVERAGE	
	NAIC #	
	INSURER A: The Travelers Indemnity Co of CT	25682
	INSURER B: Travelers Property Cas Co of America	25674
	INSURER C: Westchester Fire Insurance Company	10030
INSURER D:		
INSURER E:		
INSURER F:		

COVERAGES

CERTIFICATE NUMBER: 570077527833

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Limits shown are as requested

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY			HC2EGLSA472M4731TCT19	07/01/2019	07/01/2020	EACH OCCURRENCE	\$2,000,000
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$1,000,000
	<input checked="" type="checkbox"/> Contractual Liability						MED EXP (Any one person)	\$5,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						PERSONAL & ADV INJURY	\$1,000,000
	<input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input checked="" type="checkbox"/> LOC						GENERAL AGGREGATE	\$2,000,000
	OTHER:						PRODUCTS - COMP/OP AGG	\$1,000,000
A	AUTOMOBILE LIABILITY			HC2E-CAP-472M4651-TCT-19 AOS	07/01/2019	07/01/2020	COMBINED SINGLE LIMIT (Ea accident)	\$5,000,000
	<input checked="" type="checkbox"/> ANY AUTO						BODILY INJURY (Per person)	
	<input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS						BODILY INJURY (Per accident)	
	<input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	
	<input checked="" type="checkbox"/> Comp/Coll \$0 ded.							
C	<input checked="" type="checkbox"/> UMBRELLA LIAB			G22035277014	07/01/2019	07/01/2020	EACH OCCURRENCE	\$5,000,000
	<input type="checkbox"/> EXCESS LIAB						AGGREGATE	\$5,000,000
	DED <input checked="" type="checkbox"/> RETENTION \$10,000							
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			HC2JUB472M470619	07/01/2019	07/01/2020	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER	
B	ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	N/A	WC-AOS HRJUB472M469919 WC - MA, WI	07/01/2019	07/01/2020	E.L. EACH ACCIDENT	\$2,000,000
							E.L. DISEASE-EA EMPLOYEE	\$2,000,000
							E.L. DISEASE-POLICY LIMIT	\$2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER**CANCELLATION**Rocky Mountain Fire Extinguisher, LLC
1634 Camino De Los Ranchos, Dr. W.
Pueblo West CO 81007 USA

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Aon Risk Services Northeast, Inc.

Holder Identifier : F47

Certificate No : 570077527833

©1988-2015 ACORD CORPORATION. All rights reserved.

ACORD 25 (2016/03)

The ACORD name and logo are registered marks of ACORD



U.S. Department
of Transportation

East Building, PHH – 32
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

**Pipeline and Hazardous
Materials Safety Administration**

05/04/2015

Expiration Date: 05-04-2020

Mr. Anthony Cirino
Operations Manager
Cintas Fire Protection
11411 E. 51st Avenue
Denver, CO 80239 United States

Dear Mr. Cirino:

The Office of Hazardous Materials Special Permits and Approvals has reviewed your application for approval as a cylinder requalification facility under Section 107.805 of Title 49 Code of Federal Regulations (49 CFR). At the recommendation of Steigerwalt Associates Inc, this office is reissuing the requalifier identification number (RIN) **B927** to your facility at 11411 E. 51st Avenue, Denver, CO for cylinder specification(s) 3A, 3AA, 3AL, 4B, 4BA, 4BW, 4B240ET, and Special Permits. This number applies to this location only and is valid until the posted expiration date above or until terminated by the Associate Administrator for Hazardous Materials Safety.

In addition to the requalification of cylinders under the relevant provisions of Sections 180.205 through 180.215 of 49 CFR, the following conditions must be met:

1. You must notify this office of any change in facility name, address, ownership, management, equipment, or testing personnel within twenty days of the change.
2. Testing must be performed by, or in the presence of, a designated hydrostatic test operator who has been observed by the authorized inspector, or who has been added to your file by addition under condition number one (1) above.
3. A copy of this approval must be maintained adjacent to the testing unit.
4. This approval is renewable every five years.
5. Copies of your application and all supporting documentation must be retained and made available to DOT upon request.

Tracking No: 2015040395

Page 1 of 2

6. Each "Hazmat employee", as defined in Section 171.8, who performs a function subject to this approval, must receive appropriate training in accordance with Section 172.702.
7. All correspondence must include the requalifier identification number (RIN).

1



For Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials
Safety

Tracking No: 2015040395

Page 2 of 2



**HAZARDOUS MATERIALS
CERTIFICATE OF REGISTRATION
FOR REGISTRATION YEAR(S) 2018-2021**

Registrant: CINTAS CORPORATION NO 2

ATTN: George Clemons
PO BOX 625737
CINCINNATI, OH 45262-5737

This certifies that the registrant is registered with the U.S. Department of Transportation as required by 49 CFR Part 107, Subpart G.

This certificate is issued under the authority of 49 U.S.C. 5108. It is unlawful to alter or falsify this document.

Reg. No: 060818550184AC Effective: July 1, 2018 Expires: June 30, 2021

HM Company ID: 90727

Record Keeping Requirements for the Registration Program

The following must be maintained at the principal place of business for a period of three years from the date of issuance of this Certificate of Registration:

- (1) A copy of the registration statement filed with PHMSA; and
- (2) This Certificate of Registration

Each person subject to the registration requirement must furnish that person's Certificate of Registration (or a copy) and all other records and information pertaining to the information contained in the registration statement to an authorized representative or special agent of the U. S. Department of Transportation upon request.

Each motor carrier (private or for-hire) and each vessel operator subject to the registration requirement must keep a copy of the current Certificate of Registration or another document bearing the registration number identified as the "U.S. DOT Hazmat Reg. No." in each truck and truck tractor or vessel (trailers and semi-trailers not included) used to transport hazardous materials subject to the registration requirement. The Certificate of Registration or document bearing the registration number must be made available, upon request, to enforcement personnel.

For information, contact the Hazardous Materials Registration Manager, PHH-52, Pipeline and Hazardous Materials Safety Administration, U.S. Department of Transportation, 1200 New Jersey Avenue, SE, Washington, DC 20590, telephone (202) 366-4109. **SS**



.....March 28, 2019

1100 W. 120th Ave Suite 500
Westminster, CO 80234

**United States Department of Transportation
1200 New Jersey Avenue, SE
East Building, 2nd Floor PHH-30
Washington, DC 20590**

Attn: Office of Hazardous Materials Exemptions and Approvals

Re: Updated Address and list of Hydro-test operators

Dear Sirs,

Per our registration as a cylinder re-tester under RIN B927, we are asking that please modify our current list of High Pressure test operators to INCLUDE the following names only:

Antonio Cerrillo
Jose Miguel Jauregui
Michael Holmes

The list of low Pressure operator should now include only the followings names:

Jose Miguel Jauregui
Antonio Cerrillo
Jose Cenicerros
Cody Thomas
Eric Shields
Mariah White

The following names are the updated list of Managers that oversee the High Pressure test operators. This list includes only the following names

Michael Mooney

If you have any questions or if you need any further clarification, please contact
Michael Mooney at (303) 455-3340

Thank you


Michael Mooney - General Manager
Cintas Corporation- Fire Protection

Cintas Fire Protection
1100 W 120th Ave, Ste 500
Westminster, CO 80234
(Phone) 303-455-3340 | (Fax) 303-321-1232

56



COLORADO

Department of
Labor and Employment

Division of Workers' Compensation

Workers' Compensation Coverage Rejection

This screen allows interested parties to search for evidence of rejection of Workers' Compensation coverage by sole proprietors, and/or partners performing construction work as well as corporate officers, members of an LLC who are also at least 10% owners of the business and participate in the daily operations and/or management of the business.

Disclaimer

The information provided here is from data submitted to the Colorado Division of Workers' Compensation (DOWC). There may be errors and/or discrepancies with this information due to causes outside the control of the DOWC. Therefore, DOWC does not guarantee the accuracy of this information. If your search does not produce a result, this does not necessarily mean that a rejection of coverage has not been filed. Rejection forms received by DOWC become effective the day after all required information is received, but processing may take several days. For additional information or assistance with verifying rejection of Workers' Compensation coverage, please contact Customer Service at (303) 318-8700 in the metro area or (888) 390-7936.

Search Terms

Enter a full or partial legal name or trade name of the business you are seeking in the appropriate box below

Business Legal Name	<input type="text" value="Rocky mountain fire extinguisher"/>	<input type="button" value="Search"/>
Business Trade Name	<input type="text"/>	<input type="button" value="Clear"/>

Selected Employers - Click on the Blue Triangle to See Search Results

Business Legal Name

Business Trade Name

<input type="button" value="▶"/> Rocky Mountain Fire Extinguisher, LLC	<input type="text"/>
--	----------------------

Rejections for Rocky Mountain Fire Extinguisher, LLC

Last Name	First Name	Middle Name	Date Rejection Rec'd	Date Rescind Rec'd
Hensler	Amanda	Sue	7/11/2019	

COLORADO DEPARTMENT OF LABOR AND EMPLOYMENT
DIVISION OF WORKERS' COMPENSATION
**REJECTION OF COVERAGE BY CORPORATE OFFICERS OR MEMBERS OF A LIMITED
LIABILITY COMPANY (LLC)**

PART B - Corporate Officer or LLC Member Questionnaire

IMPORTANT: A separate Part B MUST be completed by every person listed in Part A.

1. Name of Corporation or LLC Rocky Mountain Fire Extinguisher, LLC
2. Mailing Address 1634 Camino de los Ranchos Dr. W
Street or P.O. Box, Unit/Suite
Pueblo West CO 81007
City State Zip
3. Officer or Member Name Amanda Sue Hensler
First Middle Last Suffix (Jr., Sr., III)
4. Corporate Officer Title Owner 5. Business Phone 719-248-3393
6. Date Officer/Member Elected 01/01/19
7. Duties performed for Corporation or LLC All duties
8. Mark ONE that Applies:

- ☒ I hereby elect to reject workers' compensation insurance coverage based on C.R.S. § 8-41-202 (Non- agricultural).
By signing this form, you are acknowledging your rejection of all benefits under the Workers' Compensation Act and that if you are hurt on the job, C.R.S. § 8-41-401(3) may limit your recovery to \$15,000. You are further acknowledging that you are an owner of at least 10% of the stock of the corporation or at least 10% of the membership interest of the LLC at all times, and control, supervise or manage the business affairs of the corporation or LLC. The election to reject workers' compensation insurance as a corporate officer/LLC member must be voluntary and cannot be a condition of your employment.

- ☐ I hereby rescind my previously filed rejection of coverage.

Amanda Sue Hensler

Corporate Officer/LLC Member Signature

7-12-19

Date

9. **Notary:** If this form is being filed with the Division of Workers' Compensation, the signature of the individual corporate officer or LLC member completing Part B must be notarized. If this form is being filed with your insurance carrier, please contact your insurance carrier to determine if they require this form to be notarized.

Subscribed and sworn to me before this 12th day of July, 2019.

BRANDON FERRIS
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 20164031887
MY COMMISSION EXPIRES AUGUST 19, 2020

Brandon Ferris
Notary Public

In and for Pueblo County
and Colorado State.

My commission expires 08/19/2020.

C.R.S. Section 10-1-128(6)(a) states: "It is unlawful to knowingly provide false, incomplete, or misleading facts or information to an insurance company for the purpose of defrauding or attempting to defraud the company. Penalties may include imprisonment, fines, denial of insurance, and civil damages. Any insurance company or agent of an insurance company who knowingly provides false, incomplete or misleading facts or information to a policyholder or claimant for the purpose of defrauding or attempting to defraud the policyholder or claimant with regard to a settlement or award payable from insurance proceeds shall be reported to the Colorado division of insurance within the department of regulatory agencies."



FIRE APPLICATION CONTRACTOR AND INSTALLER CHECK LIST

COMPANY NAME: Reliance Electric DBA Paracom Systems

PRINCIPAL: Nephi Allred

LICENSE HOLDER: Ephraim Bistline

RME: Ephraim Bistline

RECOMMEND:

☐ APPROVAL

☐ DISAPPROVAL

DATE 7-1-2019

LICENSE APPLYING FOR:

~~FSC-A~~ FSC-B FSC-C FSC-D FSC-H FSC-M **FAC-A** FAC-B
FAI FSI FSI-L FST-B FST-C FST-D FHT

PPRBD INFORMATION	NAME	DATE
RECEIVED BY PPRBD	Rose	7-1-2019
CRIMINAL BACKGROUND CHECK	Rose	7-1-2019
SENT TO FIRE	Rose	7-1-2019

DEPARTMENT	NAME	DATE

COMMENTS: New Replacement of RME and Licensee

PPRBD LICENSING

Phone: 719-327-2887

Fax: 719-327-2626

Email: Licensing@pprbd.org

FIRE

Phone: 719-385-5982

Fax: 719-385-7330

Email: Fireconstructionservices@springsgov.com

Fire Suppression Contractor – A

- ☐ RME w/ Current NICET Level III or IV certificate in sprinkler layout/design or a Colorado Registered PE
- ☐ Certificate of Liability and Workers' Compensation insurance.
- ☐ Documentation of minimum 5 years work experience.

Fire Suppression Contractor – B

- ☐ Letter of commitment stating minimum equipment requirements are met for portable/fixed systems.
- ☐ D.O.T registration as approved cylinder requalification facility OR contract with an outside cylinder requalification facility (a copy of this contracted facility's certification of liability insurance equal to that of the licensee's shall be provided).
- ☐ Documentation showing the RME qualifications and at least 3 years applicable work experience
- ☐ Certification from at least one manufacturer of special hazard systems that the applicant markets.
- ☐ Certificate of Liability and Workers' Compensation insurance.

Fire Suppression Contractor/Dealer – C

- ☐ Letter of commitment stating minimum equipment requirements are met for portable fire extinguishers.
- ☐ D.O.T registration as approved cylinder requalification facility OR contract with an outside cylinder requalification facility (a copy of this contracted facility's certification of liability insurance equal to that of the licensee's shall be provided).
- ☐ Documentation showing the RME qualifications and at least 2 years applicable work experience
- ☐ Certificate of Liability and Workers' Compensation insurance.

Commercial, Industrial, or Institutional Non-Contractor/Dealer – D

- ☐ Letter of commitment stating minimum equipment requirements are met for portable fire extinguishers.
- ☐ Documentation showing the RME qualifications and at least 2 years applicable work experience
- ☐ Certificate of Liability and Workers' Compensation insurance.

Fire Suppression Contractor – M

- ☐ RME w/ Current and Valid Colorado State Master Plumber's license w/ minimum 3 years' experience.
- ☐ Certificate of Liability and Workers' Compensation insurance.
- ☐ Documentation of minimum 5 years work experience.

Fire Suppression Contractor – H

- ☐ Letter of commitment stating minimum equipment requirements are met for servicing and maintaining hydrants.
- ☐ Certificate of Liability and Workers' Compensation insurance.
- ☐ Documentation showing the Responsible Managing Employee (RME) qualifications for service and repair of fire hydrants.

Fire Alarm Contractors – A

- ☐ RME w/ Current NICET Level III or IV certificate in Fire Alarm Systems or a Colorado Registered PE
- ☐ Certificate of Liability and Workers' Compensation insurance.
- ☐ Documentation of minimum 5 years work experience.

Fire Alarm Contractors – B

- ☐ RME w/ Current NICET Level II or higher in Fire Alarm Systems or a Colorado Registered PE
- ☐ Certificate of Liability and Workers' Compensation insurance.
- ☐ Documentation of minimum 5 years work experience.

60

Suppression Installer

- ☐ Satisfactory completion of the ASCR2 exam every 3 years.
- ☐ Minimum of 2 years work experience in fire sprinklers/standpipes.

Suppression Installer Limited

- ☐ Satisfactory completion of the ASD2 exam every 3 years.
- ☐ Minimum of two years' work experience in single-family multipurpose fire sprinkler systems.
- ☐ State of Colorado Plumber license

Service Technician - B

- ☐ Satisfactory completion of the FEX and CKH2 OR KHFE2 exam every 3 years.
- ☐ Minimum 2 years' experience OR factory training (include copy of certificate)

Service Technician – C

- ☐ Satisfactory completion of the FEX exam every 3 years.
- ☐ Minimum 2 years' experience OR factory training (include copy of certificate).

Service Technician - D

- ☐ Satisfactory completion of the FEX exam every 3 years.
- ☐ Minimum 2 years' experience OR factory training (include copy of certificate).

Fire Hydrant Technician

- ☐ Satisfactory completion of the CTFH2 exam every 3 years.
- ☐ Minimum 2 years' experience.

Fire Alarm On-Site Installer

- ☐ Current and valid NICET Level II or higher certificate OR satisfactory completion of FA2 exam every 3 years
- ☐ Documentation of minimum 2 years' experience.

PIKES PEAK REGIONAL BUILDING DEPARTMENT

Fire Alarm Contractor License Application

It is requested that the Fire Board of Appeals of the Colorado Springs Fire Department consider this application for the state license in compliance with the Pikes Peak Regional Building Code.

FIRE ALARM CONTRACTOR LICENSE REQUESTED (Check one)

☒ FAC-A ☐ FAC-B

RBD USE ONLY

Date **7-1-19**

Initial **RS**

Receipt # **1610TT8**

RBD #

Business Information

Type of Entity (Check one) ☐ Individual ☐ Partnership ☒ Corporation ☐ LLC

Business Name: **Reliance Electric dba Paracom Systems**

(The business name is the name that will appear on the license and is the actual name under which the contracting business will operate.)

Federal Employer Identification Number: **87-0540046**

Business Address: **PO Box 840575**

Street Address

Apartment/Unit #

Hilda

UT

84784

City

State

ZIP Code

Business Phone: **435-874-1250**

Business Email: **license@relianceteam.com**

Business Fax: **435-673-1251**

Business Website: **www.relianceteam.com**

Company's Principal Officers, Partners, or Owners

Name: **Nephi Allred**

Title: **President**

Name: **Frederick S Barlow**

Title: **Vice-President**

1. Number of years company has operated as a contractor? (If new, write "new") **32 years**

2. Type of work performed? (Check one or both, if applicable) ☐ Residential ☒ Commercial

3. Has the company ever been named in or responsible for any entered and unsatisfied judgments, liens, and/or claims against them in which the company was the contractor? ☐ Yes ☒ No If yes, Explain _____

4. Has the company been a defendant in a collection action court case? ☐ Yes ☒ No If yes, Explain _____

5. Has the company ever declared bankruptcy? ☐ Yes ☒ No If yes, Explain _____

6. Has the company ever had a license suspended or revoked? ☐ Yes ☒ No If yes, Explain _____

7. Has the company ever defaulted on a contract? ☐ Yes ☒ No If yes, Explain _____

Licenses held by the Company

Jurisdiction - License type and number

Jurisdiction- License type and number

see attached

Project History (List projects in which this company worked as the contractor.)

1. Project Street Address: 100 N Main, Hutchinson, KS

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$110,920 Date: 10/2013 - 11/2014 Your position: Onsite Foreman

Describe Job in detail: 9-story apartment building renovation with new 3-story parking garage, Vigilant VS-2 fire alarm system

2. Project Street Address: 3500 S Sherman St., Englewood, CO

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$143,480 Date: 10/2015 - 12/2016 Your position: Low Voltage & Fire Alarm Engineer

Describe Job in detail: 4-story, 180-unit, apartment building with underground parking, Vigilant VS-2 fire alarm system, DoorKing access control

3. Project Street Address: 4201 Corbett Dr., Fort Collins, CO

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$202,300 Date: 06/2016 - 06/2017 Your position: Low Voltage & Fire Alarm Engineer

Describe Job in detail: Design and approval for 3-story, 161-unit senior living facility, Vigilant VS-4 fire alarm, DoorKin access control

4. Project Street Address: 9003 Vista West Dr., San Antonio, TX

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$124,980 Date: 11/2015 - 04/2017 Your position: Low Voltage & Fire Alarm Engineer

Describe Job in detail: Design and approval for 4-story, 154-unit senior living facility, Vigilant VS-4 fire alarm system

5. Project Street Address: 101 N Market St., Wichita, KS

Type of work (check one) ☐ Residential ☒ Commercial

Cost: \$2,672,524 Date: 07/2015 - 02/2017 Your position: Electrical Journeyman, Fire Alarm Engineer, & Installer

Describe Job in detail: Design, approval, and installation for a 9-story, 139-unit & 12-story, 66-unit apartment building renovations with parking garage, Vigilant VM

CERTIFICATION (The following declaration is to be signed by the principal officer of the company) The undersigned, on behalf of the company, partnership or corporation, does hereby declare and warrant that the "examinee" for a contractor's license named herein has the express authority to bind the company, partnership, or corporation by this application; and further, the company does hereby agree to abide by the ordinances and regulations promulgated by the city of Colorado Springs, El Paso County, and those adopted by the municipal entities within El Paso County in regard to any work which may be performed by our company pursuant to the contractor license for which this application is made.

Print name and title (owner, principal or manager) Nephi Allred, President

Signature:  Date: 6-4-2019

Responsible Managing Employee (RME) Information

Legal Name: **Bistline** **Ephraim** **J**
Last First M.I.

Date of Birth: **10/28/1992** Social Security Number: [REDACTED]

Address: **PO Box 840575**
Street Address Apartment/Unit #
Hildale **UT** **84784**
City State ZIP Code

Phone: **435-874-1250** Fax: **435-673-1251** Email: **license@relianceteam.com**

1. What is your area of expertise in the industry? **Low Voltage and Fire Alarm Systems**
2. How long have you worked in the industry? **9 years and 7 months**
3. What is your affiliation with the company? (Owner, partner, employee, etc.) **employee**
4. Have you ever been convicted of a misdemeanor or felony? ☐ Yes ☒ No If yes, Explain _____
5. Have you had a license suspended or revoked? ☐ Yes ☒ No If yes, Explain _____

6. I, the undersigned, do hereby submit application for the stated contractor's license as the RME (Responsible Managing Employee) or Licensee for the firm named herein. I do hereby expressly represent, and warrant, that I am acting in capacity of the RME/Licensee of said firm; and I hereby agree to accept the responsibilities for said company's and my own actions in connection with the contractor's license that may be granted. ☒ Yes ☐ No

Certifications

NICET #	NICET Level	Expires
136272	Level IV	5/1/22
P.E. #	Issued	Expires
D.O.T. #	Issued	Expires

Work History

Company	Position	To	From
Reliance Electric	Fire Alarm Manager	present	May, 2013
Tricom Communications	Fire Alarm Technician	May, 2013	October, 2009

CERTIFICATION (The following declaration is to be signed by the RME) Pikes Peak Regional Building Department requires all persons seeking a license to undergo a Criminal Background Check. I hereby authorize Pikes Peak Regional Building Department to perform a Criminal Background Check utilizing information provided on this application. I agree and understand Pikes Peak Regional Building Department may deny me a license after reviewing my Criminal Background Check. If any information provided on this application is untrue, license granted to me is automatically revoked.

Print name & title (RME): **Ephraim J Bistline, Fire Alarm Manager**

Signature of (RME): *Ephraim Bistline* Date: **6/4/19**
64

Licensee Information

Legal Name: **Bistline** **Ephraim** **J**
Last First M I

Date of Birth: **10/28/1992** Social Security Number: [REDACTED]

Address: **PO Box 840575**
Street Address Apartment/Unit #
Hildale **UT** **84784**
City State ZIP Code

Phone: **435-874-1250** Fax: **435-673-1251** Email: **license@relianceteam.com**

- What is your area of expertise in the industry? **Low Voltage and Fire Alarm Systems**
- How long have you worked in the industry? **9 years and 7 months**
- What is your affiliation with the company? (Owner, partner, employee, etc.) **employee**
- Have you ever been convicted of a misdemeanor or felony? ☐ Yes ☒ No If yes, Explain _____
- Have you had a license suspended or revoked? ☐ Yes ☒ No If yes, Explain _____
- The examinee understands that direct supervision and control includes any one or a combination of the following activities: supervising, managing construction activities by making technical and administrative decisions, checking jobs for proper workmanship, or direct supervision on job sites. Will you, as the qualifying individual, perform one or more of these duties? ☐ Yes ☐ No

Certifications

NICET #	NICET Level	Expires
136272	Level IV	3/1/22
P.E. #	Issued	Expires
D.O.T. #	Issued	Expires

Work History

Company	Position	To	From
Reliance Electric	Fire Alarm Manager	present	May, 2013
Tricom Communications	Fire Alarm Technician	May, 2013	October, 2009

CERTIFICATION (The following declaration is to be signed by the Licensee) Pikes Peak Regional Building Department requires all persons seeking a license to undergo a Criminal Background Check. I hereby authorize Pikes Peak Regional Building Department to perform a Criminal Background Check utilizing information provided on this application. I agree and understand Pikes Peak Regional Building Department may deny me a license after reviewing my Criminal Background Check. If any information provided on this application is untrue, license granted to me is automatically revoked.

Print name & title (Licensee): **Ephraim J Bistline**

Signature of (Licensee): *Ephraim Bistline* Date: **6/4/19**




Date
5/31/2019

H R Fabrication
PO Box 2146
Hildale, UT 84784

Wd

67



THIS LICENSE MUST BE CONSPICUOUSLY DISPLAYED IN PLACE OF BUSINESS

State of Arkansas

Number

CMPY.0002611

License

Date of Expiration

04/24/2021

This is to certify that

Reliance Electric, Inc.

is duly licensed to transact business in the State of Arkansas as a

Class E License: Alarm Systems Company - Unrestricted

***This license is renewable as provided in A.C.A.
17-40-101 Et. Seq.***



Arkansas State Police

Sgt. Dustin J. Morgan

Sergeant Dustin Morgan
Administrator

NON TRANSFERABLE

City and County of Denver
Community Planning and Development
www.denvergov.org/contractor_licensing

License/Registration Number: LIC00246739
Expiration Date: 02/29/2020
License Type: Electrical Signal

Issued To:

By Authority of the Executive Director of
Community Planning and Development

RELIANCE ELECTRIC INC
P.O. BOX 840575
HILDALE, UT 84784

Amount	Fund/Org/Revenue Code	Payment Date	Trans #	Status
\$250.00	352900-01010-0141200-Z0000-Z0000	02/15/2017	2922749	Paid

RENEWAL INFORMATION

Renewal notices will be e-mailed to e-mail address on file.

Renewal information is available at www.denvergov.org/Contractor_Licensing.

INSPECTION INFORMATION

Inspection requests called in by 12:00 a.m. will usually be scheduled for the following working day.

Please provide the following information when you call for an inspection:


- ✓ Permit number
- ✓ Type of inspection and inspection code

Automated Inspection Request System: 720-865-2501

Inspections are performed Monday through Friday.

Wallet Contractor ID Card: MUST BE KEPT IN YOUR POSSESSION AT ALL TIMES.

Cut on outside of line, then fold in half.

<p>City and County of Denver</p> <p>IDENTIFICATION CARD</p> <p>License/Registration No.: LIC00246739</p> <p>This is to certify that RELIANCE ELECTRIC INC has been issued a Electrical Signal license in the City and County of Denver, beginning on 15 February 2017 and ending on 29 Feb 2020, unless license is revoked.</p> <p><u>By Authority of the Executive Director of Community Planning and Development</u></p>	<p>City and County of Denver Community Planning and Development 201 W COLFAX AVE DEPT 205 DENVER, COLORADO 80202</p> <p> DENVER THE MILE HIGH CITY</p> <p>Licenses & Certificates: 720.865.2770 Permit Counter: 720.865.2705 Inspection Administration: 720.865.2505 Automated Inspection Request: 720.865.2501</p>
---	---



License No. AS-3662

This certifies that

**Reliance Electric, Inc. dba Paracom Systems
Ephriam Bistline**

*is licensed by the
City of Fort Collins, Colorado as a:*

SPECIALIZED CONTRACTOR – ALARM SYSTEMS (FIRE ALARM)

Date Issued: February 28, 2019

Expiration Date: February 28, 2021

Contractor Signature

Sharon Furber
Administrative Services Manager

09/21/2018

Jeffery Jessop
Reliance Electric, Inc. dba Paracom Systems - Alarm
PO Box 840575
Hildale, UT 84784

Your application for certification by the Iowa State Fire Marshal Division has been approved. The review and approval of your application to practice in Iowa is based upon Iowa Code 100C and 100D, and Iowa Administrative Rules 661-275 through 661-277.

Please verify that the endorsement(s) listed below are correct. If not, please immediately contact our office at sfmlicense@dps.state.ia.us. You should display the certificate below in your place of business where it can be seen by the public.

Congratulations on achieving this important designation. We look forward to working with you in the future on the maintenance and renewal of your certification.

Sincerely,



Dan Wood
State Fire Marshal

STATE OF IOWA
DEPARTMENT OF PUBLIC SAFETY
STATE FIRE MARSHAL DIVISION

Pursuant to Iowa Code (100C) and Administrative Rule 661-275 under the authority of the Iowa State Fire Marshal

Reliance Electric, Inc. dba Paracom Systems - Alarm

is hereby granted Certification in the State of Iowa. Work performed under this Certification is restricted to the endorsement(s) listed below:

Alarm System Maintenance Inspector (4), Fire Alarm System (1), Nurse Call System (2), Security Alarm System (3)

Certification Number: AS-0149

This Certification shall expire on 09/30/2021



The information provided on this card
is current as of 09/21/2018
Scan the QR code to retrieve or verify
the current status.

Louisiana State Fire Marshal
Life Safety and Property Protection Licensing & Registration Division
Certificate of Firm Registration

The below named firm is hereby certified by and registered with the Office of State Fire Marshal pursuant to L.R.S. 40:1664 ET SEQ. of Life Safety & Property Protection systems:

License Number: F2058

Endorsements: Fire Alarm

Firm Name: RELIANCE ELECTRIC ,INC.


Doing Business As: PARACOM SYSTEMS

Mailing Address: P.O. BOX 840575

HILDALE, UT 84784

Physical Location: 1065 W. UTAH AVE

HILDALE, UT 84784



This license is not transferable and may be revoked or suspended with cause.

This License was issued on 8/27/2018 and will expire on 8/1/2019



Special Contractor License
SPC3981583

issued to

Ephraim J Bistline
Reliance Electric dba Paracom Systems
PO Box 840575
Hildale, UT 84784

issued by

City of Lafayette
1290 S. Public Rd.
Lafayette, CO 80026

(303) 661-1270 phone
(303) 665-2153 fax
michellev@cityoflafayette.com



Special Contractor

Issued By

City of Lafayette
1290 S. Public Rd.
Lafayette, CO 80026

This license issued in compliance with
the Ordinances of the City of Lafayette
and subject to the provisions thereof.

Approved By



NON-TRANSFERABLE

Issued To

Ephraim J Bistline
Reliance Electric dba Paracom Systems
PO Box 840575
Hildale, UT 84784

Valid From

12/01/18 - 12/01/19

License Number

SPC3981583



NOTICE:

This license issued in compliance with the Ordinances of
the City of Lafayette and subject to the provisions thereof.

Special Contractor

NON-TRANSFERABLE

Valid From

12/01/18 - 12/01/19

License Number

SPC3981583



Issued To

Ephraim J Bistline
Reliance Electric dba Paracom Systems
PO Box 840575
Hildale, UT 84784

Issued By

City of Lafayette
1290 S. Public Rd.
Lafayette, CO 80026

Approved By

**STATE OF MONTANA
Department of Labor and Industry
Fire Protection Program**

**License#: FPL-BEL-000902 Active
Expires: 05/31/2020**

To verify or Renew a license:
406-841-2056 or ebiz.mt.gov

**RELIANCE ELECTRIC OF UTAH INC
1065 WEST UTAH AVE
HILDALE, UT 84784-0575**

To use as a Wall License, cut off excess paper and affix the above to wall for display.

To use the license as a Pocket Card, cut to the size of a business card or driver's license (either single or double-wide to fold), laminate if desired.

Remember to renew online if possible. Benefits of renewing online include:

The ability to change an address (for most professions).

The ability to print license(s) the same day as the renewal.

The ability to print multiple licenses including one for a pocket card if desired.


The ability to print in color (if you have a color printer).

To renew online: <https://ebiz.mt.gov/licenses/>

CITY OF TOPEKA
DEVELOPMENT SERVICES DIVISION
620 SE MADISON ST UNIT 6
TOPEKA, KANSAS 66607-1118

PARACOM SYSTEMS
PO BOX 840575
HILDALE, UT, 84784

CITY OF TOPEKA, KANSAS



License No.: **FACO 201601271767**

This is to certify that

PARACOM SYSTEMS

having fulfilled the legal requirement for licensing, is
hereby authorized and licensed to practice as a

Fire Alarm Contractor License

within the city of Topeka

Issue Date: 27-Jan-2016 Expiration Date: 14-Dec-2019

both inclusive and subject to provisions of the City code.

Issued under the direction of

Richard Faulkner

Chief Building Official

Received From: PARACOM SYSTEMS
PO BOX 840575
HILDALE, UT 84784

Date: 3-Jan-2019
For: Fire Alarm Contractor License
Date: 14-Dec-2019

\$133.00 Check CK# 10647 27993
Amount Paid Cash/Check Pay Doc. # Receipt #

CITY OF TOPEKA, KANSAS

CITY OF TOPEKA, KANSAS
Name: PARACOM SYSTEMS
Licensed to Practice as a
Type: Fire Alarm Contractor License
Lic. No.: FACO 201601271767
Expiration : 14-Dec-2019

Score Location Date

Issued under the direction of

Richard Faulkner

Chief Building Official

Registered Location(s):

1085 W UTAH

HILDALE UT 84784

Registration Number

ACR-1996446

Expiration Date: 04-22-2020

EFFECTIVE DATE: 04-22-2015

FIRE ALARM CERTIFICATE OF REGISTRATION

TEXAS DEPARTMENT OF INSURANCE
STATE FIRE MARSHAL'S OFFICE

Issued To:

Paracom Systems



DATE ISSUED: September 27, 2018

Orlando P. Hernandez

Orlando P. Hernandez, Interim State Fire Marshal

SF081|0116

To receive news and updates from the SFMO concerning Fire Industry Licensing, sign up for the SFMO Licensing eNews Update at <http://www.tdi.texas.gov/alert/esfmlicensing.html>



Paracom Systems
PO BOX 840575
HILDALE UT 84784-0575

THIS DOCUMENT HAS A GENUINE WATERMARK AND CONTAINS INVISIBLE FIBERS

NOT TRANSFERABLE

BUS. NUMBER

39828

DATE PAID

2/12/2019

LICENSE NUMBER

2020 - 39828

BUSINESS NAME

MAILING ADDRESS

CITY AND STATE

CITY OF WICHITA

BUSINESS REGISTRATION CERTIFICATE

POST IN CONSPICUOUS PLACE

The person, firm or corporation named below is granted this business certificate pursuant to the provisions of the City Business License Ordinances to engage in, carry on or conduct the business, trade, calling, profession, exhibition or occupation described below. Issuance of the certificate is not an endorsement, nor certification of compliance with other ordinances or laws. This license is issued without verification that the licensee is subject to or exempt from licensing by the State of Kansas.

BUSINESS TYPE Alarm Business

BUSINESS SUBTYPE Business

NOTES:

BUSINESS LOCATION PO BOX 840575

CONTACT NAME EPHRAIM J BISTLINE

RELIANCE ELECTRIC, INC dba PARACOM SYSTEMS

PO BOX 840575

HILDALE, UT 84784-0575

EXPIRATION DATE

2/2/2020

044149



THIS DOCUMENT IS ALTERATION PROTECTED AND REFLECTS FLUORESCENT FIBERS UNDER UV LIGHT

KEEP FOR YOUR RECORDS

BUSINESS TAX RECEIPT

BUS. NO.

39828

DATE PAID
2/12/2019

AB

\$100.00

TOTAL

\$0.00

CITY OF WICHITA



COLORADO



Department of
Regulatory Agencies

Division of Professions and Occupations

Congratulations! Below are your electronic wallet cards to use as proof of your license. You can also print your license at any time by visiting www.colorado.gov/dora/DPO_Print_License and following the instructions listed.

If you would like a more durable wallet card option, you can order one for a fee by visiting www.nasbastore.org and selecting the "Colorado License Cards" link on the left hand side of the page. If you prefer, you can also contact NASBA by phone at 1-888-925-5237 or by email at nasbastore@nasba.org.

Should you have questions about your credential, or need other information please contact our Customer Service Team at 303-894-7800 or dora_registrations@state.co.us.

Colorado Department of Regulatory Agencies Division of Professions and Occupations		Colorado Department of Regulatory Agencies Division of Professions and Occupations	
Electrical Board Reliance Electric, Inc.		Electrical Board Reliance Electric, Inc.	
Electrical Contractor		Electrical Contractor	
EC.0005612 Number	10/01/2017 Issue Date	EC.0005612 Number	10/01/2017 Issue Date
Active Credential Status	09/30/2020 Expire Date	Active Credential Status	09/30/2020 Expire Date
Verify this credential at: www.colorado.gov/dora/dpo		Verify this credential at: www.colorado.gov/dora/dpo	
			
Division Director: Ronne Hines		Division Director: Ronne Hines	
Credential Holder Signature		Credential Holder Signature	



CITY AND COUNTY OF DENVER
DENVER FIRE DEPARTMENT
FIRE PREVENTION DIVISION

2019



EPHRIAM J. BISTLINE
LIC. # 1298887
FIRE ALARM SYSTEMS INSTALLER

LICENSE MUST BE KEPT VISIBLE AT ALL TIMES WHILE ON THE JOB SITE



Ephraim Jay Bistline

Agency Representative
Manager
Reliance Electric, Inc.



REP 0005580

Expires: 04/02/2021

**STATE OF MONTANA
Department of Labor and Industry
Fire Protection Program**

Fire Alarm System

License#: FPL-IEL-001252 Active
Expires: 05/31/2020

See the list below for completed manufacture training (if applicable).
Sell, Service, or Install Fire Alarm Systems
*POTTER/D7024 FACP - G FACP

To verify or Renew a license:
406-841-2056 or ebiz.mt.gov

**EJ BISTLINE
PO BOX 840575
HILDALE, UT 84784-**

To use as a Wall License, cut off excess paper and affix the above to wall for display.

To use the license as a Pocket Card, cut to the size of a business card or driver's license (either single or double-wide to fold), laminate if desired.

Remember to renew online if possible. Benefits of renewing online include:

The ability to change an address (for most professions).

The ability to print license(s) the same day as the renewal.

The ability to print multiple licenses including one for a pocket card if desired.

The ability to print in color (if you have a color printer).

To renew online: <https://ebiz.mt.gov/licenses/>



State of Utah

GARY R. HERBERT
Governor

SPENCER J. COX
Lieutenant Governor

Utah Department of Public Safety

JESS L. ANDERSON
Commissioner

Utah State Fire Marshal

COY D. PORTER
State Fire Marshal

March 21, 2019

Ephraim J. Bistline
Reliance Electric
P.O. Box 840575
Hildale, UT 84784

Dear Ephraim,

Attached you will find a sticker which has the State Fire Marshal Logo as well as the date printed on it. This sticker is for your **Fire Alarm** Certification card. Please place the sticker on the back of the card over the year shown in the expiration date. This will indicate the renewal process has been completed for the upcoming year.

If you have any questions or concerns, please call the State Fire Marshal's Office during business hours at (801) 256-2364.

Sincerely,

Deanne B. Mousley
Fire Protection Engineer



Life Safety &
Property Protection License



License Holder:
EPHRAIM J BISTLINE

Firm:

RELIANCE ELECTRIC

License Number:
E22322

Firm Number:
F2058

Expires On:
8/1/2019

Firm Expiration:
8/1/2019



Issued by Louisiana State Fire Marshal



Quarterly
License Update

Ephraim Bistline

Thursday, June 6, 2019

State	Type	Expiration	Number	Status	Test or Reciprocal	Notes
Arkansas	Apprentice	4/30/2020	EA-16525			
Colorado	Journeyman	9/30/2020	JW.0600655			
Idaho	Apprentice	6/30/2020	023176		Test	
Iowa	Apprentice	12/31/2018	EL-071251-AE			
Nebraska	Apprentice	12/31/2016	24420			
Oklahoma	Apprentice	5/11/2017	153321			
Texas	Apprentice	3/13/2020	331999			
Utah	Apprentice	11/30/2020	8712742-5505			
Wyoming	Journeyman	1/1/2022	J-45830		Reciprocal	



Quarterly
License Update

Ephraim Bistline

Thursday, June 6, 2019

Issued By	Type	Expiration	Number	Status	Notes
NICET	Level IV	5/1/2022	136272	Active	
Arkansas	Technician	4/2/2021	REP.0005580	Active	
Colorado	Supervisor	12/31/2019	1298887	Active	
Iowa	Technician	9/30/2019	AS-0505	Active	
Kansas (Wichita)	Supervisor	12/31/2019	CER2015-10231	Active	
Utah	Supervisor	4/1/2020	AE439	Active	
ICC	Technician	7/29/2021	MT07292016-21-13	Active	

RELIANCE ELECTRIC LICENSE MANAGER

Entity	Name	Classification	Type	Number	Expiration	Issue Date	Achieved	Status
Arkansas	Reliance Electric	Electrical	Contractor	0253550520	05/31/20	01/27/12	Registered	Active
Arkansas	Reliance Electric	Fire Alarm	Contractor	CMPY.0002611	04/24/21	04/24/17	Registered	Active
California	Reliance Electric	Electrical	Contractor	950857	08/31/20	08/05/10	Registered	Active
Colorado	Reliance Electric	Electrical	Contractor	EC.0005612	09/30/20	03/01/09	Registered	Active
Florida	Reliance Electric	Electrical	Contractor	EC13006712	08/31/20	05/18/15	Test	Active
Idaho	Reliance Electric	Electrical	Contractor	ELE-C-38438	02/28/20	05/29/08	Registered	Active
Iowa	Reliance Electric	Fire Alarm	Contractor	AS-0149	09/30/21	04/11/16	Registered	Active
Iowa	Reliance Electric	Electrical	Contractor	EL-116805-EC	12/31/19	02/23/10	Registered	Active
Kentucky	Reliance Electric	Electrical	Contractor	CE64657	08/31/19	02/11/15	Test	Active
Louisiana	Reliance Electric	Fire Alarm	Contractor	53211	08/01/19	02/20/15	Registered	Active
Montana	Reliance Electric	Fire Alarm	Contractor	FPL-BEL-000902	05/31/20	05/07/15	Registered	Active
Montana	Reliance Electric	Electrical	Contractor	ELE-UCO-LIC-31371	07/15/20	06/15/10	Registered	Active
Oklahoma	Reliance Electric	Electrical	Contractor	125215	08/31/19	03/23/09	Reciprocal	Active
Oklahoma	Reliance Electric	Fire Alarm	Contractor	AC440536	07/31/19	09/12/17	Registered	Expired
Oregon	Reliance Electric	Electrical	Contractor	C783	07/01/20	08/16/11	Registered	Active
Texas	Reliance Electric	Fire Alarm	Contractor	ACR-1996446	04/22/20	03/31/16	Registered	Active
Texas	Reliance Electric	Electrical	Contractor	25581	11/10/19	07/21/10	Registered	Active
Utah	Reliance Electric	Electrical	Contractor	294009-5501	11/30/19	07/25/95	Registered	Active
Washington	Reliance Electric	Electrical	Contractor	EC RELIAE1926RP	03/23/21	01/20/09	Registered	Active
West Virginia	Reliance Electric	Electrical	Contractor	WV046381	03/26/20	02/02/11	Registered	Active
Wichita, KS	Paracom Systems	Fire Alarm	Contractor	044149	02/02/20	04/11/17	Registered	Active
Wyoming	Reliance Electric	Electrical	Contractor	C-1331	07/01/20	09/16/02	Registered	Active

86



Utah Contractor # 294009-5501

PO Box 840575
1065 W Utah Ave.
Hildale, UT 84784
Phone: (435) 874-1250 Fax (435) 673-1251
license@relianceteam.com

Letter of Employment Verification

Date: 6/6/2019

To Whom It May Concern:

Employee: Ephraim J Bistline worked for Reliance Electric for the following time period:

Date employed: 2/7/2013

Date terminated: present

Occupation: Electrician

Hours Worked

Year	Hours
02/2013 - 02/2014	2000
02/2014 - 02/2015	2000
02/2015 - 02/2016	2000
02/2016 - 02/2017	2000
02/2017 - 02/2018	2000
02/2018 - 02/2019	2000
02/2019 - 05/2019	668
Total	12668

Signed: _____


Preston Berlow - Administrator

Date: 6/6/19



Always On™
www.reliancelearn.com

6/6/19

To whom it may concern:

Ephraim J Bistline is currently hired as a full-time employee with Reliance Electric, Inc.

Signed: Preston J. Barber
(Employer)



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

4/2/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER The Buckner Company 6550 S Millrock Suite, #300 Salt Lake City UT 84121		CONTACT NAME: Michael Gonzales PHONE (A/C, No, Ext): 801-937-6797 FAX (A/C, No): 801-365-0863 E-MAIL ADDRESS: mgonzaless@buckner.com	
		INSURER(S) AFFORDING COVERAGE	
		INSURER A: Employers Mutual Casualty Company	
		INSURER B: Travelers Casualty and Surety Co of America	
		INSURER C:	
		INSURER D:	
		INSURER E:	
		INSURER F:	

COVERAGES

CERTIFICATE NUMBER: 460033104

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:	Y	Y	5X65011	4/1/2019	4/1/2020	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY	Y	Y	5X65011	4/1/2019	4/1/2020	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$			5X65011	4/1/2019	4/1/2020	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$ 5,000,000 \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N	Y	5X65011	4/1/2019	4/1/2020	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
B	Professional Liability			0106909782LB	4/1/2019	4/1/2020	Limit 1,000,000
A	Rented/Leased Equipment			5X65011	4/1/2019	4/1/2020	Limit 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

The General Liability policy has blanket additional insured and blanket waiver of subrogation per form CG7578. Primary and non-contributory applies on the General Liability per form CG7650. Blanket additional insured for completed operations applies per form CG7650. The Commercial Auto policy has blanket additional insured and blanket waiver of subrogation per form CA7450. Per Project Aggregate applies per form CG7429. The Worker's Compensation policy has blanket waiver of subrogation per form WC 00 03 13.

CERTIFICATE HOLDER**CANCELLATION**

Pikes Peak Regional Building Dept.
2880 International Circle
Colorado Springs CO 80910

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

OFFICE OF THE SECRETARY OF STATE
OF THE STATE OF COLORADO

CERTIFICATE OF FACT OF GOOD STANDING

I, Jena Griswold, as the Secretary of State of the State of Colorado, hereby certify that,
according to the records of this office,

RELIANCE ELECTRIC, INC.

is an entity formed or registered under the law of Utah has complied with all
applicable requirements of this office, and is in good standing with this office. This entity has
been assigned entity identification number 20011075406 .

This certificate reflects facts established or disclosed by documents delivered to this office on
paper through 06/04/2019 that have been posted, and by documents delivered to this office
electronically through 06/06/2019 @ 09:32:51 .

I have affixed hereto the Great Seal of the State of Colorado and duly generated, executed, and issued this
official certificate at Denver, Colorado on 06/06/2019 @ 09:32:51 in accordance with applicable law.
This certificate is assigned Confirmation Number 11615797 .



Jena Griswold

Secretary of State of the State of Colorado

*****End of Certificate*****

Notice: A certificate issued electronically from the Colorado Secretary of State's Web site is fully and immediately valid and effective. However, as an option, the issuance and validity of a certificate obtained electronically may be established by visiting the Validate a Certificate page of the Secretary of State's Web site, <http://www.sos.state.co.us/biz/CertificateSearchCriteria.do> entering the certificate's confirmation number displayed on the certificate, and following the instructions displayed. Confirming the issuance of a certificate is merely optional and is not necessary to the valid and effective issuance of a certificate. For more information, visit our Web site, <http://www.sos.state.co.us/> click "Businesses, trademarks, trade names" and select "Frequently Asked Questions."



NATIONAL INSTITUTE FOR CERTIFICATION IN ENGINEERING TECHNOLOGIES®

Providing Certification Programs Since 1961

BE IT KNOWN THAT

Ephriam J. Bistline

IS HEREBY AWARDED CERTIFICATION AT

LEVEL IV

IN FIRE PROTECTION ENGINEERING TECHNOLOGY
FIRE ALARM SYSTEMS

**BASED UPON SUCCESSFUL DEMONSTRATION OF REQUISITE KNOWLEDGE,
EXPERIENCE AND WORK PERFORMANCE AS SET FORTH BY THIS INSTITUTE.**

Certification Valid through May 1, 2022

CERTIFICATION NUMBER 136272

CHAIRMAN OF THE NICET BOARD OF GOVERNORS




A DIVISION OF THE NATIONAL SOCIETY OF PROFESSIONAL ENGINEERS



PIKES PEAK REGIONAL BUILDING DEPARTMENT

2880 International Circle
Colorado Springs, Colorado 80910
Website: <http://www.pprbd.org>

Follow us on social media

-  facebook.com/PPRegionalBuilding/
-  [@PPRBD](https://twitter.com/PPRBD)
-  [@ppregionalbuilding](https://www.instagram.com/ppregionalbuilding)

Invoice

7/1/2019 1:30:53 PM

(ROSE)

Receipt #: 1610778

Customer: Ephraim Bistline

Transaction Summary				
Account	Description		Reference	Amount
1301-40036	CONTRACTOR FEES	APPLICATION	App Fee	\$50.00

Total Due: \$50.00

Payment Summary				
Account	Description		Reference	Amount
9801-55200	COLLECTION, CHECK		5216	\$50.00

Total Tendered: \$50.00

Comment: APPLICATION FOR FAC-A FIRE LICENSE

92